

Notes

Output Created	11-AUG-2019 09:10:07	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=x1.1 x1.2 x1.3 x1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,03

[DataSet0]

Notes

Output Created	11-AUG-2019 09:10:57	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.

Syntax	CORRELATIONS /VARIABLES=x1.1 x1.2 x1.3 x1 /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,06
	Elapsed Time	00:00:00,09

Correlations

Notes

Output Created	11-AUG-2019 09:14:07	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=x1.1 x1.2 x1.3 x1 /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,12

Descriptive Statistics

	Mean	Std. Deviation	N
x1.1	4,03	,771	100
x1.2	4,36	,578	100
x1.3	4,14	,752	100
inovasi	12,53	1,605	100

Correlations

		x1.1	x1.2	x1.3	inovasi
x1.1	Pearson Correlation	1	,202*	,584**	,828**
	Sig. (2-tailed)		,044	,000	,000
	N	100	100	100	100
x1.2	Pearson Correlation	,202*	1	,255*	,577**
	Sig. (2-tailed)	,044		,011	,000
	N	100	100	100	100
x1.3	Pearson Correlation	,584**	,255*	1	,842**
	Sig. (2-tailed)	,000	,011		,000
	N	100	100	100	100
inovasi	Pearson Correlation	,828**	,577**	,842**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	100	100	100	100

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

CORRELATIONS

```

/VARIABLES=x2.1 x2.2 x2.3 x2.4 x2
/PRINT=TWOTAIL NOSIG
/STATISTICS DESCRIPTIVES
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created	11-AUG-2019 09:18:51	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
N of Rows in Working Data File		100

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=x2.1 x2.2 x2.3 x2.4 x2 /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02

Descriptive Statistics

	Mean	Std. Deviation	N
x2.1	4,15	,687	100
x2.2	3,95	,687	100
x2.3	4,14	,739	100
x2.4	4,10	,689	100
sdm	16,34	1,897	100

Correlations

		x2.1	x2.2	x2.3	x2.4	sdm
x2.1	Pearson Correlation	1	,273**	,316**	,245*	,673**
	Sig. (2-tailed)		,006	,001	,014	,000
	N	100	100	100	100	100
x2.2	Pearson Correlation	,273**	1	,292**	,309**	,687**
	Sig. (2-tailed)	,006		,003	,002	,000
	N	100	100	100	100	100
x2.3	Pearson Correlation	,316**	,292**	1	,230*	,693**
	Sig. (2-tailed)	,001	,003		,021	,000
	N	100	100	100	100	100
x2.4	Pearson Correlation	,245*	,309**	,230*	1	,654**
	Sig. (2-tailed)	,014	,002	,021		,000
	N	100	100	100	100	100

sdm	Pearson Correlation	,673**	,687**	,693**	,654**	1
	Sig. (2-tailed)	,000	,000	,000	,000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

```

/VARIABLES=x3.1 x3.2 x3.3 x3.4 x3
/PRINT=TWOTAIL NOSIG
/STATISTICS DESCRIPTIVES
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		11-AUG-2019 09:19:29
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=x3.1 x3.2 x3.3 x3.4 x3 /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,09
	Elapsed Time	00:00:00,11

Descriptive Statistics

	Mean	Std. Deviation	N
x3.1	4,36	,612	100
x3.2	4,29	,715	100
x3.3	4,17	,637	100
x3.4	3,97	,731	100
modal sosial	16,79	1,822	100

Correlations

		x3.1	x3.2	x3.3	x3.4	modal sosial
x3.1	Pearson Correlation	1	,152	,334**	,295**	,631**
	Sig. (2-tailed)		,132	,001	,003	,000
	N	100	100	100	100	100
x3.2	Pearson Correlation	,152	1	,290**	,268**	,652**
	Sig. (2-tailed)	,132		,003	,007	,000
	N	100	100	100	100	100
x3.3	Pearson Correlation	,334**	,290**	1	,315**	,702**
	Sig. (2-tailed)	,001	,003		,001	,000
	N	100	100	100	100	100
x3.4	Pearson Correlation	,295**	,268**	,315**	1	,716**
	Sig. (2-tailed)	,003	,007	,001		,000
	N	100	100	100	100	100
modal sosial	Pearson Correlation	,631**	,652**	,702**	,716**	1
	Sig. (2-tailed)	,000	,000	,000	,000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

CORRELATIONS

```

/VARIABLES=y1 y2 y3 y4 y5 y
/PRINT=TWOTAIL NOSIG
/STATISTICS DESCRIPTIVES
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created	11-AUG-2019 09:20:01	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=y1 y2 y3 y4 y5 y /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,05

Descriptive Statistics

	Mean	Std. Deviation	N
y1	4,16	,647	100
y2	4,24	,683	100
y3	4,28	,726	100
y4	4,17	,726	100
y5	4,19	,706	100
kinerja umkm	21,04	2,165	100

Correlations

		y1	y2	y3	y4	y5	kinerja umkm
y1	Pearson Correlation	1	,255*	,312**	,243*	,264**	,652**
	Sig. (2-tailed)		,010	,002	,015	,008	,000
	N	100	100	100	100	100	100
y2	Pearson Correlation	,255*	1	,311**	,141	,428**	,683**
	Sig. (2-tailed)	,010		,002	,162	,000	,000
	N	100	100	100	100	100	100
y3	Pearson Correlation	,312**	,311**	1	-,015	,270**	,610**
	Sig. (2-tailed)	,002	,002		,886	,007	,000
	N	100	100	100	100	100	100
y4	Pearson Correlation	,243*	,141	-,015	1	,133	,491**
	Sig. (2-tailed)	,015	,162	,886		,186	,000
	N	100	100	100	100	100	100
y5	Pearson Correlation	,264**	,428**	,270**	,133	1	,675**
	Sig. (2-tailed)	,008	,000	,007	,186		,000
	N	100	100	100	100	100	100
kinerja umkm	Pearson Correlation	,652**	,683**	,610**	,491**	,675**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	
	N	100	100	100	100	100	100

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

```

/VARIABLES=x1.1 x1.2 x1.3
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/STATISTICS=DESCRIPTIVE.

```

Reliability

Notes

Output Created	11-AUG-2019 09:21:05	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=x1.1 x1.2 x1.3 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,629	3

```

RELIABILITY
/VARIABLES=x2.1 x2.2 x2.3 x2.4
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA.

```

Reliability

Notes

Output Created	11-AUG-2019 09:22:54	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=x2.1 x2.2 x2.3 x2.4 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.	
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,606	4

RELIABILITY

```

/VARIABLES=x3.1 x3.2 x3.3 x3.4
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA.

```

Reliability

Notes

Output Created	11-AUG-2019 09:23:22	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=x3.1 x3.2 x3.3 x3.4 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.	
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,03

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,600	4

```
RELIABILITY  
  /VARIABLES=y1 y2 y3 y4 y5  
  /SCALE('ALL VARIABLES') ALL  
  /MODEL=ALPHA.
```

Reliability

Notes

Output Created	11-AUG-2019 09:23:54	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Matrix Input		
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.

Syntax		RELIABILITY /VARIABLES=y1 y2 y3 y4 y5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,03

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,600	5

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT y
  /METHOD=ENTER x1 x2 x3
  /SAVE RESID.
```

Regression

Notes

Output Created		11-AUG-2019 09:32:21
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT y /METHOD=ENTER x1 x2 x3 /SAVE RESID. </pre>	
Resources	Processor Time	00:00:00,66
	Elapsed Time	00:00:00,70
	Memory Required	4112 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_1	Unstandardized Residual

NPAR TESTS

```

  /K-S (NORMAL) =RES_1
  /MISSING ANALYSIS.

```

NPar Tests

Notes

Output Created	11-AUG-2019 09:33:56	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax	NPAR TESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,08
	Number of Cases Allowed ^a	786432

a. Based on availability of workspace memory.

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	1,36612109
Most Extreme Differences	Absolute	,059
	Positive	,032
	Negative	-,059
Test Statistic		,059
Asymp. Sig. (2-tailed)		,200 ^{c,d}

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.
- d. This is a lower bound of the true significance.

```

REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT y
  /METHOD=ENTER x1 x2 x3
  /SAVE RESID.

```

Regression

Notes

Output Created		11-AUG-2019 09:47:45
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT y /METHOD=ENTER x1 x2 x3 /SAVE RESID.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,11
	Memory Required	4160 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_2	Unstandardized Residual

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	3,864	1,474		2,623	,010		
	inovasi	,194	,100	,144	1,934	,056	,751	1,332
	sdm	,468	,103	,410	4,527	,000	,505	1,980
	modal sosial	,423	,101	,356	4,188	,000	,575	1,739

a. Dependent Variable: kinerja umkm

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	inovasi	sdm	modal sosial
1	1	3,980	1,000	,00	,00	,00	,00
	2	,009	20,478	,03	,90	,03	,14
	3	,007	24,064	,87	,01	,27	,04
	4	,004	31,306	,10	,08	,70	,81

a. Dependent Variable: kinerja umkm

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	12,74	23,50	21,04	1,679	100
Residual	-2,952	3,510	,000	1,366	100
Std. Predicted Value	-4,946	1,468	,000	1,000	100
Std. Residual	-2,128	2,530	,000	,985	100

a. Dependent Variable: kinerja umkm

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA COLLIN TOL
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT y
/METHOD=ENTER x1 x2 x3
/SCATTERPLOT=(*SRESID ,*ZPRED)
/SAVE RESID.

```

Regression

Notes

Output Created		11-AUG-2019 10:00:49
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT y /METHOD=ENTER x1 x2 x3 /SCATTERPLOT=(*SRESID ,*ZPRED) /SAVE RESID. </pre>	
Resources	Processor Time	00:00:02,43
	Elapsed Time	00:00:05,29
	Memory Required	4192 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_3	Unstandardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	modal sosial, inovasi, sdm ^b	.	Enter

a. Dependent Variable: kinerja umkm

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,776 ^a	,602	,589	1,387

a. Predictors: (Constant), modal sosial, inovasi, sdm

b. Dependent Variable: kinerja umkm

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	279,078	3	93,026	48,335	,000 ^b
	Residual	184,762	96	1,925		
	Total	463,840	99			

a. Dependent Variable: kinerja umkm

b. Predictors: (Constant), modal sosial, inovasi, sdm

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	3,864	1,474		2,623	,010		
	inovasi	,194	,100	,144	1,934	,056	,751	1,332
	sdm	,468	,103	,410	4,527	,000	,505	1,980
	modal sosial	,423	,101	,356	4,188	,000	,575	1,739

a. Dependent Variable: kinerja umkm

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	(Constant)	Variance Proportions			
					inovasi	sdm	modal sosial	
1	1	3,980	1,000	,00	,00	,00	,00	
	2	,009	20,478	,03	,90	,03	,14	
	3	,007	24,064	,87	,01	,27	,04	
	4	,004	31,306	,10	,08	,70	,81	


a. Dependent Variable: kinerja umkm

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	12,74	23,50	21,04	1,679	100
Std. Predicted Value	-4,946	1,468	,000	1,000	100
Standard Error of Predicted Value	,150	,725	,253	,114	100
Adjusted Predicted Value	13,77	23,52	21,05	1,613	100
Residual	-2,952	3,510	,000	1,366	100
Std. Residual	-2,128	2,530	,000	,985	100
Stud. Residual	-2,314	2,581	-,005	1,012	100
Deleted Residual	-3,765	3,652	-,014	1,448	100
Stud. Deleted Residual	-2,369	2,661	-,006	1,023	100
Mahal. Distance	,165	26,069	2,970	4,488	100
Cook's Distance	,000	,503	,016	,060	100
Centered Leverage Value	,002	,263	,030	,045	100

a. Dependent Variable: kinerja umkm

Charts



```

REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT y
  /METHOD=ENTER x1 x2 x3.

```

Regression

Notes		
Output Created		11-AUG-2019 10:11:04
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT y /METHOD=ENTER x1 x2 x3.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,11
	Memory Required	4176 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	modal sosial, inovasi, sdm ^b	.	Enter

a. Dependent Variable: kinerja umkm

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,776 ^a	,602	,589	1,387

a. Predictors: (Constant), modal sosial, inovasi, sdm

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	279,078	3	93,026	48,335	,000 ^b
	Residual	184,762	96	1,925		
	Total	463,840	99			

a. Dependent Variable: kinerja umkm

b. Predictors: (Constant), modal sosial, inovasi, sdm

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3,864	1,474		2,623	,010
	inovasi	,194	,100	,144	1,934	,056
	sdm	,468	,103	,410	4,527	,000
	modal sosial	,423	,101	,356	4,188	,000

a. Dependent Variable: kinerja umkm