

**LAMPIRAN I**  
**DAFTAR KUESIONER**

UNIVERSITAS YUDHARTA PASURUAN  
FAKULTAS AGAMA ISLAM – JURUSAN EKONOMI SYARIAH  
PASURUAN  
DAFTAR KUISIONER

Kepada Yth,  
Bapak/Ibu/Sdr/i Nasabah  
Pengguna Jasa Tabungan  
BMT An-Nahl Pandaan

Assalamu'alaikum Wr. Wb.

Dengan hormat,

Kami memahami sepenuhnya bahwa waktu Anda sangat terbatas dan berharga. Namun demikian kami sangat mengharapkan kesediaan Anda untuk meluangkan waktu untuk mengisi kuesioner ini. Kuesioner ini disusun dalam rangka penyusunan Tugas Akhir (Skripsi) yang merupakan syarat kelulusan Program S1 Ekonomi Syariah, Universitas Yudharta Pasuruan. Kuesioner ini dimaksudkan untuk mengetahui bagaimana “Pengaruh Penerapan Manajemen Akuntansi Keuangan Syariah pada BMT An-Nahl Pandaan”.

Kuesioner ini digunakan untuk kepentingan ilmiah, kerahasiaan identitas Bapak/Ibu/Sdr/i akan tetap terjaga. Bantuan Bapak/Ibu/Sdr/i merupakan hal yang sangat berharga bagi peneliti, oleh karena itu atas bantuannya saya sampaikan banyak terima kasih.

Wassalamu'alaikum Wr. Wb.

Pasuruan,  
Hormat saya,  
Lutfia Rifqiani Azmil

## IDENTITAS RESPONDEN

1. Nama :.....

2. Jenis Kelamin :

Pria

Wanita

3. Usia

<20 Tahun

20-29 Tahun

30-39 Tahun

> 40 Tahun

4. Pekerjaan :

Mahasiswa/pelajar

karyawan Swasta

Lainnya

Pedagang

Tidak Bekerja/Pensiun

5. Pendidikan Terakhir

SD

SMA

S1

SMP

D3

S2

Keterangan: centang (V) atau silang (X) jawaban yang telah dipilih .....

## BAGIAN KE 2

### QORDUL HASAN (Variabel *Controlling*)

Berilah tanda (X) pada kolom Bapak/Ibu/Sdr/i pilih sesuai keadaan yang sebenarnya, dengan alternatif jawaban sebagai berikut:

SS = Sangat Setuju

Ts = Tidak Setuju

S = Setuju

STS = Sangat Tidak Setuju

Ks = Kurang Setuju

#### PERTANYAAN: Qordul Hasan

| No | PERTANYAAN  | STS | Ts | Ks | S | SS |
|----|---|-----|----|----|---|----|
| 1  | Persyaratan awal mengajukan Pembiayaan Qordul hasan Mudah saya penuhi                 |     |    |    |   |    |
| 2  | Pembiayaan qordul hasan sesuai dengan kebutuhan saya                                  |     |    |    |   |    |
| 3  | Besaran pmbiayaan qordul hasan yang saya terima mencukupi kebutuhan usahasaya.        |     |    |    |   |    |
| 4  | Saya mengajukan pembiayaan qordul hasan untuk keperluan usaha                         |     |    |    |   |    |
| 5  | Jumlah angsuran yang harus saya bayarkan disesuaikan dngan pendaatan saya             |     |    |    |   |    |
| 6  | Jangka waktu pelunasan pembiayaan qordul hasan yang disepakati tidak memberatkan saya |     |    |    |   |    |
| 7  | Saya merasa puas dengan pembiayaan qordul hasan yang ada di BMT An-Nahl               |     |    |    |   |    |
| 8  | Saya akan mengajukan pembiayaan qordul hasan pada BMT An-Nahl jika membutuhkan lagi   |     |    |    |   |    |

**Akuntansi Syariah (X)**

| No | Pertanyaan  | STS | Ts | Ks | S | SS |
|----|---|-----|----|----|---|----|
| 9  | Penyampaian informasi yang dilakukan oleh petugas teller sudah baik   |     |    |    |   |    |
| 10 | Setiap informasi yang nasabah peroleh dari penjelasan petugas sangat bermanfaat untuk kepentingan transaksi financial nasabah dikemudian hari |     |    |    |   |    |
| 11 | Setiap pertanyaan yang nasabah ajukan kepada petugas telah petugas jawab dengan baik  |     |    |    |   |    |
| 12 | Setiap transaksi yang dijalankan sudah sesuai dengan permintaan nasabah   |     |    |    |   |    |
| 13 | Nasabah selalu memperoleh bukti print laporan dan tercetak dengan baik  |     |    |    |   |    |
| 14 | Tersedianya jaringan yang luas dan tersebar hingga roses transaksi tercapai hingga ke daerah tujuan nasabah                                   |     |    |    |   |    |

**Customer Retention (Y)**

| No | Pertanyaan   | STS | Ts | Ks | S | SS |
|----|--|-----|----|----|---|----|
| 15 | Saya berkomitmen kepada BMT An-Nahl pandaan dan tidak akan mengganti dengan yang lain                |     |    |    |   |    |
| 16 | Saya sering menggunakan produk-produk di BMTAn-Nahl daripada yang lain                               |     |    |    |   |    |
| 17 | Saya akan merekomendasikan pada masyarakat yang lainnya agar semua membeli produk-produk BMT An-Nahl |     |    |    |   |    |
| 18 | Saya sering membeli produk-produk di BMT An-Nahl Pandaan   |     |    |    |   |    |

## Hasil Uji Analisis Deskriptif

Statistics

|                    | x1   | x2   | x3   | x4   | x5   | x6   | x7   | x8   | x9   | x10  | x11  | x12  | x13  | x14  | totalX |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
| N Valid            | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100  | 100    |
| Missing            | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0      |
| Mean               | 3.95 | 4.15 | 4.16 | 4.22 | 4.14 | 4.12 | 4.13 | 4.01 | 4.12 | 4.18 | 4.09 | 4.07 | 4.18 | 4.13 | 57.65  |
| Std. Error of Mean | .073 | .063 | .068 | .063 | .062 | .069 | .060 | .061 | .061 | .058 | .055 | .059 | .056 | .065 | .532   |
| Median             | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 58.00  |
| Mode               | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 4    | 56     |
| Std. Deviation     | .730 | .626 | .677 | .629 | .620 | .686 | .597 | .611 | .608 | .575 | .552 | .590 | .557 | .646 | 5.319  |
| Variance           | .533 | .391 | .459 | .396 | .384 | .470 | .357 | .374 | .369 | .331 | .305 | .349 | .311 | .417 | 28.290 |
| Range              | 3    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 27     |
| Minimum            | 2    | 3    | 3    | 3    | 3    | 3    | 3    | 3    | 3    | 3    | 3    | 3    | 3    | 3    | 43     |
| Maximum            | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 5    | 70     |

## Frequency Table

x1

|                   | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------------------|-----------|---------|---------------|--------------------|
| Valid tdak setuju | 1         | 1.0     | 1.0           | 1.0                |
| kurang setuju     | 26        | 26.0    | 26.0          | 27.0               |
| Setuju            | 50        | 50.0    | 50.0          | 77.0               |
| sangat setuju     | 23        | 23.0    | 23.0          | 100.0              |
| Total             | 100       | 100.0   | 100.0         |                    |

x2

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 13        | 13.0    | 13.0          | 13.0               |
|       | Setuju        | 59        | 59.0    | 59.0          | 72.0               |
|       | sangat setuju | 28        | 28.0    | 28.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |

x3

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 16        | 16.0    | 16.0          | 16.0               |
|       | setuju        | 52        | 52.0    | 52.0          | 68.0               |
|       | sangat setuju | 32        | 32.0    | 32.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |

x4

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 11        | 11.0    | 11.0          | 11.0               |
|       | setuju        | 56        | 56.0    | 56.0          | 67.0               |
|       | sangat setuju | 33        | 33.0    | 33.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |

x5

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 13        | 13.0    | 13.0          | 13.0               |
|       | setuju        | 60        | 60.0    | 60.0          | 73.0               |
|       | sangat setuju | 27        | 27.0    | 27.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |

x6

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 18        | 18.0    | 18.0          | 18.0               |
| setuju              | 52        | 52.0    | 52.0          | 70.0               |
| sangat setuju       | 30        | 30.0    | 30.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

x7

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 12        | 12.0    | 12.0          | 12.0               |
| setuju              | 63        | 63.0    | 63.0          | 75.0               |
| sangat setuju       | 25        | 25.0    | 25.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

x8

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 18        | 18.0    | 18.0          | 18.0               |
| setuju              | 63        | 63.0    | 63.0          | 81.0               |
| sangat setuju       | 19        | 19.0    | 19.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

x9

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 13        | 13.0    | 13.0          | 13.0               |
| setuju              | 62        | 62.0    | 62.0          | 75.0               |
| sangat setuju       | 25        | 25.0    | 25.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

**x10**

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 9         | 9.0     | 9.0           | 9.0                |
| setuju              | 64        | 64.0    | 64.0          | 73.0               |
| sangat setuju       | 27        | 27.0    | 27.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

**x11**

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 11        | 11.0    | 11.0          | 11.0               |
| setuju              | 69        | 69.0    | 69.0          | 80.0               |
| sangat setuju       | 20        | 20.0    | 20.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

**x12**

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 14        | 14.0    | 14.0          | 14.0               |
| setuju              | 65        | 65.0    | 65.0          | 79.0               |
| sangat setuju       | 21        | 21.0    | 21.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

**x13**

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 8         | 8.0     | 8.0           | 8.0                |
| setuju              | 66        | 66.0    | 66.0          | 74.0               |
| sangat setuju       | 26        | 26.0    | 26.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |



x14

|                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------------|-----------|---------|---------------|--------------------|
| Valid kurang setuju | 15        | 15.0    | 15.0          | 15.0               |
| setuju              | 57        | 57.0    | 57.0          | 72.0               |
| sangat setuju       | 28        | 28.0    | 28.0          | 100.0              |
| Total               | 100       | 100.0   | 100.0         |                    |

totalX

|          | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid 43 | 1         | 1.0     | 1.0           | 1.0                |
| 48       | 2         | 2.0     | 2.0           | 3.0                |
| 49       | 2         | 2.0     | 2.0           | 5.0                |
| 50       | 5         | 5.0     | 5.0           | 10.0               |
| 51       | 6         | 6.0     | 6.0           | 16.0               |
| 52       | 4         | 4.0     | 4.0           | 20.0               |
| 53       | 4         | 4.0     | 4.0           | 24.0               |
| 54       | 5         | 5.0     | 5.0           | 29.0               |
| 55       | 6         | 6.0     | 6.0           | 35.0               |
| 56       | 10        | 10.0    | 10.0          | 45.0               |
| 57       | 4         | 4.0     | 4.0           | 49.0               |
| 58       | 2         | 2.0     | 2.0           | 51.0               |
| 59       | 8         | 8.0     | 8.0           | 59.0               |
| 60       | 8         | 8.0     | 8.0           | 67.0               |
| 61       | 5         | 5.0     | 5.0           | 72.0               |
| 62       | 8         | 8.0     | 8.0           | 80.0               |
| 63       | 6         | 6.0     | 6.0           | 86.0               |
| 64       | 4         | 4.0     | 4.0           | 90.0               |
| 65       | 6         | 6.0     | 6.0           | 96.0               |
| 66       | 1         | 1.0     | 1.0           | 97.0               |

|       |     |       |       |       |
|-------|-----|-------|-------|-------|
| 67    | 1   | 1.0   | 1.0   | 98.0  |
| 68    | 1   | 1.0   | 1.0   | 99.0  |
| 70    | 1   | 1.0   | 1.0   | 100.0 |
| Total | 100 | 100.0 | 100.0 |       |

**Statistics**

|                    |         | y1   | y2   | y3   | y4   | totalY          |
|--------------------|---------|------|------|------|------|-----------------|
| N                  | Valid   | 100  | 100  | 100  | 100  | 100             |
|                    | Missing | 0    | 0    | 0    | 0    | 0               |
| Mean               |         | 3.96 | 4.09 | 4.08 | 4.20 | 16.33           |
| Std. Error of Mean |         | .075 | .065 | .069 | .068 | .227            |
| Median             |         | 4.00 | 4.00 | 4.00 | 4.00 | 16.00           |
| Mode               |         | 4    | 4    | 4    | 4    | 16 <sup>a</sup> |
| Std. Deviation     |         | .751 | .653 | .692 | .682 | 2.265           |
| Variance           |         | .564 | .426 | .478 | .465 | 5.132           |
| Range              |         | 2    | 2    | 2    | 2    | 8               |
| Minimum            |         | 3    | 3    | 3    | 3    | 12              |
| Maximum            |         | 5    | 5    | 5    | 5    | 20              |

a. Multiple modes exist. The smallest value is shown

**Frequency Table**

**y1**

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 30        | 30.0    | 30.0          | 30.0               |
|       | setuju        | 44        | 44.0    | 44.0          | 74.0               |
|       | sangat setuju | 26        | 26.0    | 26.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |

**y2**

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 17        | 17.0    | 17.0          | 17.0               |
|       | setuju        | 57        | 57.0    | 57.0          | 74.0               |
|       | sangat setuju | 26        | 26.0    | 26.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |

**y3**

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 20        | 20.0    | 20.0          | 20.0               |
|       | setuju        | 52        | 52.0    | 52.0          | 72.0               |
|       | sangat setuju | 28        | 28.0    | 28.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |

**y4**

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | kurang setuju | 15        | 15.0    | 15.0          | 15.0               |
|       | setuju        | 50        | 50.0    | 50.0          | 65.0               |
|       | sangat setuju | 35        | 35.0    | 35.0          | 100.0              |
|       | Total         | 100       | 100.0   | 100.0         |                    |





|        |                     |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|--------|---------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|        | N                   | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| x10    | Pearson Correlation | .118   | .317** | .133   | .057   | .127   | .226*  | .313** | .340** | .313** | 1      | .394** | .200*  | .307** | .371** | .480** |
|        | Sig. (2-tailed)     | .243   | .001   | .188   | .574   | .208   | .024   | .001   | .001   | .002   |        | .000   | .046   | .002   | .000   | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| x11    | Pearson Correlation | .162   | .194   | .231*  | .262** | .199*  | .291** | .393** | .267** | .299** | .394** | 1      | .383** | .341** | .448** | .554** |
|        | Sig. (2-tailed)     | .108   | .053   | .021   | .008   | .047   | .003   | .000   | .007   | .003   | .000   |        | .000   | .001   | .000   | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| x12    | Pearson Correlation | .266** | .190   | .300** | .448** | .249*  | .154   | .289** | .334** | .399** | .200*  | .383** | 1      | .575** | .559** | .616** |
|        | Sig. (2-tailed)     | .007   | .058   | .002   | .000   | .013   | .127   | .004   | .001   | .000   | .046   | .000   |        | .000   | .000   | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| x13    | Pearson Correlation | .097   | .211*  | .137   | .232*  | .102   | .075   | .172   | .232*  | .264** | .307** | .341** | .575** | 1      | .523** | .481** |
|        | Sig. (2-tailed)     | .338   | .035   | .174   | .020   | .314   | .458   | .088   | .020   | .008   | .002   | .001   | .000   |        | .000   | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| x14    | Pearson Correlation | .142   | .151   | .206*  | .277** | .156   | .170   | .218*  | .304** | .474** | .371** | .448** | .559** | .523** | 1      | .575** |
|        | Sig. (2-tailed)     | .157   | .133   | .040   | .005   | .121   | .092   | .030   | .002   | .000   | .000   | .000   | .000   | .000   |        | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| totalX | Pearson Correlation | .604** | .662** | .728** | .724** | .619** | .626** | .663** | .678** | .504** | .480** | .554** | .616** | .481** | .575** | 1      |
|        | Sig. (2-tailed)     | .000   | .000   | .000   | .000   | .000   | .000   | .000   | .000   | .000   | .000   | .000   | .000   | .000   | .000   |        |
|        | N                   | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

### Correlations

|        |                     | y1     | y2     | y3     | y4     | totalY |
|--------|---------------------|--------|--------|--------|--------|--------|
| y1     | Pearson Correlation | 1      | .522** | .453** | .568** | .791** |
|        | Sig. (2-tailed)     |        | .000   | .000   | .000   | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    |
| y2     | Pearson Correlation | .522** | 1      | .633** | .504** | .806** |
|        | Sig. (2-tailed)     | .000   |        | .000   | .000   | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    |
| y3     | Pearson Correlation | .453** | .633** | 1      | .651** | .834** |
|        | Sig. (2-tailed)     | .000   | .000   |        | .000   | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    |
| y4     | Pearson Correlation | .568** | .504** | .651** | 1      | .833** |
|        | Sig. (2-tailed)     | .000   | .000   | .000   |        | .000   |
|        | N                   | 100    | 100    | 100    | 100    | 100    |
| totalY | Pearson Correlation | .791** | .806** | .834** | .833** | 1      |
|        | Sig. (2-tailed)     | .000   | .000   | .000   | .000   |        |
|        | N                   | 100    | 100    | 100    | 100    | 100    |

\*\* . Correlation is significant at the 0.01 level (2-tailed).

### Uji Reliabilitas

#### Reliability

##### Case Processing Summary

|       |                       | N   | %     |
|-------|-----------------------|-----|-------|
| Cases | Valid                 | 100 | 100.0 |
|       | Excluded <sup>a</sup> | 0   | .0    |
|       | Total                 | 100 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

#### Reliability Statistics

|                  |            |
|------------------|------------|
| Cronbach's Alpha | N of Items |
| .725             | 15         |

**Item-Total Statistics**

|        | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|--------|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| x1     | 112.36                     | 59.445                         | .633                             | .694                             |
| x2     | 112.19                     | 60.297                         | .592                             | .698                             |
| x3     | 112.19                     | 59.105                         | .665                             | .692                             |
| x4     | 112.20                     | 59.960                         | .602                             | .697                             |
| x5     | 112.15                     | 60.957                         | .533                             | .702                             |
| x6     | 112.26                     | 60.194                         | .587                             | .698                             |
| x7     | 112.22                     | 61.951                         | .468                             | .707                             |
| x8     | 112.19                     | 60.297                         | .514                             | .700                             |
| x9     | 111.96                     | 65.392                         | .161                             | .724                             |
| x10    | 112.07                     | 65.520                         | .169                             | .724                             |
| x11    | 112.06                     | 65.128                         | .223                             | .722                             |
| x12    | 112.04                     | 65.271                         | .196                             | .723                             |
| x13    | 112.07                     | 65.803                         | .128                             | .726                             |
| x14    | 112.09                     | 64.770                         | .256                             | .721                             |
| totalX | 58.15                      | 16.715                         | 1.000                            | .759                             |

**Scale: ALL VARIABLES**

**Case Processing Summary**

|       |                       | N   | %     |
|-------|-----------------------|-----|-------|
| Cases | Valid                 | 100 | 100.0 |
|       | Excluded <sup>a</sup> | 0   | .0    |
|       | Total                 | 100 | 100.0 |

a. Listwise deletion based on all variables in the procedure.



**Reliability Statistics**

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .516             | 5          |

**Item-Total Statistics**

|        | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|--------|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| y1     | 28.99                      | 2.454                          | .289                             | .464                             |
| y2     | 29.10                      | 2.273                          | .518                             | .366                             |
| y3     | 29.09                      | 2.305                          | .478                             | .383                             |
| y4     | 29.07                      | 2.429                          | .355                             | .437                             |
| totalY | 17.07                      | 1.702                          | .138                             | .719                             |

**Uji Asumsi Klasik**

**Model Summary<sup>b</sup>**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .514 <sup>a</sup> | .265     | .257              | 1.953                      |

a. Predictors: (Constant), totalX

b. Dependent Variable: totalY

**ANOVA<sup>b</sup>**

| Model |            | Sum of Squares | df | Mean Square | F      | Sig.              |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1     | Regression | 134.408        | 1  | 134.408     | 35.247 | .000 <sup>a</sup> |
|       | Residual   | 373.702        | 98 | 3.813       |        |                   |
|       | Total      | 508.110        | 99 |             |        |                   |

a. Predictors: (Constant), totalX

b. Dependent Variable: totalY

**Coefficients<sup>a</sup>**

| Model | Unstandardized Coefficients | Standardized Coefficients | t | Sig. |
|-------|-----------------------------|---------------------------|---|------|
|-------|-----------------------------|---------------------------|---|------|

|              | B     | Std. Error | Beta |       |      |
|--------------|-------|------------|------|-------|------|
| 1 (Constant) | 3.701 | 2.136      |      | 1.732 | .000 |
| totalX       | .219  | .037       | .514 | 5.937 | .000 |

a. Dependent Variable: totalY


#### Residuals Statistics<sup>a</sup>

|                      | Minimum | Maximum | Mean  | Std. Deviation | N   |
|----------------------|---------|---------|-------|----------------|-----|
| Predicted Value      | 13.12   | 19.04   | 16.33 | 1.165          | 100 |
| Residual             | -4.626  | 5.565   | .000  | 1.943          | 100 |
| Std. Predicted Value | -2.754  | 2.322   | .000  | 1.000          | 100 |
| Std. Residual        | -2.369  | 2.850   | .000  | .995           | 100 |

a. Dependent Variable: totalY


## Charts

### Histogram




**Normal P-P Plot of Regression Standardized Residual**

**Dependent Variable: totalY**



### Scatterplot



### Uji normalitas

#### One-Sample Kolmogorov-Smirnov Test

|                                  |                | Unstandardized Residual |
|----------------------------------|----------------|-------------------------|
| N                                |                | 100                     |
| Normal Parameters <sup>a,b</sup> | Mean           | .0000000                |
|                                  | Std. Deviation | 1.94287577              |
| Most Extreme Differences         | Absolute       | .070                    |
|                                  | Positive       | .070                    |
|                                  | Negative       | -.058                   |
| Kolmogorov-Smirnov Z             |                | .697                    |
| Asymp. Sig. (2-tailed)           |                | .717                    |

a. Test distribution is Normal.

b. Calculated from data.

### Model Summary

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .514 <sup>a</sup> | .265     | .257              | 1.953                      |

a. Predictors: (Constant), totalX

### Uji Multi kolonieritas

#### Variables Entered/Removed<sup>b</sup>

| Model | Variables Entered   | Variables Removed | Method |
|-------|---------------------|-------------------|--------|
| 1     | totalX <sup>a</sup> |                   | Enter  |

a. All requested variables entered.

b. Dependent Variable: totalY

### ANOVA<sup>b</sup>

| Model |            | Sum of Squares | df | Mean Square | F      | Sig.              |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1     | Regression | 134.408        | 1  | 134.408     | 35.247 | .000 <sup>a</sup> |
|       | Residual   | 373.702        | 98 | 3.813       |        |                   |
|       | Total      | 508.110        | 99 |             |        |                   |

a. Predictors: (Constant), totalX

b. Dependent Variable: totalY

### Coefficients<sup>a</sup>

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t     | Sig. | Collinearity Statistics |       |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|-------------------------|-------|
|       |            | B                           | Std. Error | Beta                      |       |      | Tolerance               | VIF   |
| 1     | (Constant) | 3.701                       | 2.136      |                           | 1.732 | .000 |                         |       |
|       | totalX     | .219                        | .037       | .514                      | 5.937 | .000 | 1.000                   | 1.000 |

a. Dependent Variable: totalY

**Collinearity Diagnostics<sup>a</sup>**

| Model | Dimensi<br>n | Eigenvalue | Condition Index | Variance Proportions |        |
|-------|--------------|------------|-----------------|----------------------|--------|
|       |              |            |                 | (Constant)           | totalX |
| 1     | 1            | 1.996      | 1.000           | .00                  | .00    |
|       | 2            | .004       | 21.833          | 1.00                 | 1.00   |

a. Dependent Variable: totalY

**Hasil Uji F**

**Descriptive Statistics**

|                    | N   | Minimum | Maximum | Mean  | Std. Deviation |
|--------------------|-----|---------|---------|-------|----------------|
| Jenis Kelamin      | 100 | 1       | 2       | 1.80  | .402           |
| Umur               | 100 | 2       | 4       | 3.65  | .520           |
| perkerjaan         | 100 | 3       | 5       | 3.80  | .492           |
| pendidikan         | 100 | 1       | 3       | 1.46  | .626           |
| x1                 | 100 | 2       | 5       | 3.95  | .730           |
| x2                 | 100 | 3       | 5       | 4.15  | .626           |
| x3                 | 100 | 3       | 5       | 4.16  | .677           |
| x4                 | 100 | 3       | 5       | 4.22  | .629           |
| x5                 | 100 | 3       | 5       | 4.14  | .620           |
| x6                 | 100 | 3       | 5       | 4.12  | .686           |
| x7                 | 100 | 3       | 5       | 4.13  | .597           |
| x8                 | 100 | 3       | 5       | 4.01  | .611           |
| x9                 | 100 | 3       | 5       | 4.12  | .608           |
| x10                | 100 | 3       | 5       | 4.18  | .575           |
| x11                | 100 | 3       | 5       | 4.09  | .552           |
| x12                | 100 | 3       | 5       | 4.07  | .590           |
| x13                | 100 | 3       | 5       | 4.18  | .557           |
| x14                | 100 | 3       | 5       | 4.13  | .646           |
| totalX             | 100 | 43      | 70      | 57.65 | 5.319          |
| y1                 | 100 | 3       | 5       | 3.96  | .751           |
| y2                 | 100 | 3       | 5       | 4.09  | .653           |
| y3                 | 100 | 3       | 5       | 4.08  | .692           |
| y4                 | 100 | 3       | 5       | 4.20  | .682           |
| totalY             | 100 | 12      | 20      | 16.33 | 2.265          |
| Valid N (listwise) | 100 |         |         |       |                |

**Variables Entered/Removed(b)**

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1     | totalX(a)         | .                 | Enter  |

a All requested variables entered.

b Dependent Variable: totalY

**Model Summary**

| Model | R       | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|---------|----------|-------------------|----------------------------|
| 1     | .514(a) | .265     | .257              | 1.953                      |

a Predictors: (Constant), totalX

**ANOVA(b)**

| Model |            | Sum of Squares | df | Mean Square | F      | Sig.    |
|-------|------------|----------------|----|-------------|--------|---------|
| 1     | Regression | 134.408        | 1  | 134.408     | 35.247 | .000(a) |
|       | Residual   | 373.702        | 98 | 3.813       |        |         |
|       | Total      | 508.110        | 99 |             |        |         |

a Predictors: (Constant), totalX

b Dependent Variable: totalY

**Hasil Uji t**

**Variables Entered/Removed<sup>b</sup>**

| Model | Variables Entered   | Variables Removed | Method |
|-------|---------------------|-------------------|--------|
| 1     | totalX <sup>a</sup> | .                 | Enter  |

a. All requested variables entered.

b. Dependent Variable: totalY

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .514 <sup>a</sup> | .265     | .257              | 1.953                      |

a. Predictors: (Constant), totalX

**ANOVA<sup>b</sup>**

| Model |            | Sum of Squares | df | Mean Square | F      | Sig.              |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1     | Regression | 134.408        | 1  | 134.408     | 35.247 | .000 <sup>a</sup> |
|       | Residual   | 373.702        | 98 | 3.813       |        |                   |
|       | Total      | 508.110        | 99 |             |        |                   |

a. Predictors: (Constant), totalX

b. Dependent Variable: totalY

**Coefficients<sup>a</sup>**

| Model        | Unstandardized Coefficients |            | Standardized Coefficients | t     | Sig. | Correlations |         |      | Collinearity Statistics |       |
|--------------|-----------------------------|------------|---------------------------|-------|------|--------------|---------|------|-------------------------|-------|
|              | B                           | Std. Error | Beta                      |       |      | Zero-order   | Partial | Part | Tolerance               | VIF   |
| 1 (Constant) | 3.701                       | 2.136      |                           | 1.732 | .000 |              |         |      |                         |       |
| totalX       | .219                        | .037       | .514                      | 5.937 | .000 | .514         | .514    | .514 | 1.000                   | 1.000 |

a. Dependent Variable: totalY

**Coefficient Correlations<sup>a</sup>**

| Model | totalX                    |
|-------|---------------------------|
| 1     | Correlations totalX 1.000 |
|       | Covariances totalX .001   |

a. Dependent Variable: totalY

**Collinearity Diagnostics<sup>a</sup>**

| Model | Dimension | Eigenvalue | Condition Index | Variance Proportions |        |
|-------|-----------|------------|-----------------|----------------------|--------|
|       |           |            |                 | (Constant)           | totalX |
| 1     | 1         | 1.996      | 1.000           | .00                  | .00    |
|       | 2         | .004       | 21.833          | 1.00                 | 1.00   |

a. Dependent Variable: totalY

## Uji Regresi Linier Sederhana

**Variables Entered/Removed<sup>b</sup>**

| Model | Variables Entered   | Variables Removed | Method |
|-------|---------------------|-------------------|--------|
| 1     | totalX <sup>a</sup> |                   | Enter  |

a. All requested variables entered.

b. Dependent Variable: totalY



### Model Summary

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .514 <sup>a</sup> | .265     | .257              | 1.953                      |

a. Predictors: (Constant), totalX

### ANOVA<sup>b</sup>

| Model |            | Sum of Squares | df | Mean Square | F      | Sig.              |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1     | Regression | 134.408        | 1  | 134.408     | 35.247 | .000 <sup>a</sup> |
|       | Residual   | 373.702        | 98 | 3.813       |        |                   |
|       | Total      | 508.110        | 99 |             |        |                   |

a. Predictors: (Constant), totalX

b. Dependent Variable: totalY

### Coefficients<sup>a</sup>

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t     | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
|       |            | B                           | Std. Error | Beta                      |       |      |
| 1     | (Constant) | 3.701                       | 2.136      |                           | 1.732 | .000 |
|       | totalX     | .219                        | .037       | .514                      | 5.937 | .000 |

a. Dependent Variable: totalY

## Mean

### Case Processing Summary

|                 | Cases    |         |          |         |       |         |
|-----------------|----------|---------|----------|---------|-------|---------|
|                 | Included |         | Excluded |         | Total |         |
|                 | N        | Percent | N        | Percent | N     | Percent |
| totalY * totalX | 100      | 100.0%  | 0        | .0%     | 100   | 100.0%  |

ANOVA Table

|   | Sum of Squares | df | Mean Square | F      | Sig. |
|---|----------------|----|-------------|--------|------|
| totalY * totalX Between Groups (Combined) | 207.643        | 22 | 9.438       | 2.419  | .002 |
| Linearity                                 | 134.408        | 1  | 134.408     | 34.445 | .000 |
| Deviation from Linearity                  | 73.235         | 21 | 3.487       | .894   | .599 |
| Within Groups                             | 300.467        | 77 | 3.902       |        |      |
| Total                                     | 508.110        | 99 |             |        |      |

Measures of Association

|                 | R    | R Squared | Eta  | Eta Squared |
|-----------------|------|-----------|------|-------------|
| totalY * totalX | .514 | .265      | .639 | .409        |