

The vehicle routing problem

by Abdul Wahid

Submission date: 17-Nov-2022 12:48AM (UTC-0500)

Submission ID: 1956544925

File name: cle_routing_problem_for_perishable_goods_A_systematic_review.pdf (2.61M)

Word count: 10963

Character count: 61063



The vehicle routing problem for perishable goods: A systematic review

Dana Marsetiya Utama, Shanty Kusuma Dewi, Abdul Wahid & Imam Santoso

To cite this article: Dana Marsetiya Utama, Shanty Kusuma Dewi, Abdul Wahid & Imam Santoso | (2020) The vehicle routing problem for perishable goods: A systematic review, Cogent Engineering, 7:1, 1816148, DOI: [10.1080/23311916.2020.1816148](https://doi.org/10.1080/23311916.2020.1816148)

To link to this article: <https://doi.org/10.1080/23311916.2020.1816148>



© 2020 The Author(s). This open access article is distributed under a Creative Commons Attribution (CC-BY) 4.0 license.



Published online: 06 Sep 2020.



[Submit your article to this journal](#)



Article views: 4049



[View related articles](#)



[View Crossmark data](#)



Citing articles: 18 [View citing articles](#)



Received: 06 March 2020
Accepted: 19 August 2020

*Corresponding author: Dana Marsetiya
Utama, Industrial Engineering,
University of Muhammadiyah Malang,
Malang, Indonesia
E-mail: dana@umm.ac.id

Reviewing editor:
Duc Pham, School of Mechanical
Engineering, University of
Birmingham, Birmingham, UK

Additional information is available at
the end of the article

COMPUTER SCIENCE | REVIEW ARTICLE

The vehicle routing problem for perishable goods: A systematic review

Dana Marsetiya Utama^{1*}, Shanty Kusuma Dewi¹, Abdul Wahid² and Imam Santoso³

Abstract: Vehicle Routing Problem (VRP) is the problem for finding optimal routes in the distribution system, and this problem needs attention because it can improve distribution performance. One of the problems in VRP is the Vehicle Routing Problem for Perishable Goods (VRPFG). This issue addresses VRP for products that are rapidly losing quality and perishable. This paper attempts to review the Vehicle Routing Problem for Perishable Goods (VRPFG). A systematic review has been carried out on fifty-nine (59) published papers from 2001 to March 2020. The optimization methods in this review were classified into single and multi-objective problems. In addition, the review was also conducted based on the objective function. The results show the metaheuristic algorithm to be a popular optimization method for solving single and multi-objective problems. Further, the results also show that minimizing the total cost distribution to be the objective function that was often used by researchers. Finally, future studies are suggested to explore a more comprehensive investigation in the VRPFG.

Subjects: Algorithms & Complexity; Computer Engineering; Supply Chain Management



Dana Marsetiya Utama

ABOUT THE AUTHORS

Dana Marsetiya Utama is currently a Lecturer and a Researcher in the Industrial Engineering Department, University of Muhammadiyah Malang Indonesia. His research interests include optimization engineering, scheduling, and modeling. (E-mail: dana@umm.ac.id, tel: +62-341 464 318 ext. 166).

Shanty Kusuma Dewi is currently a Lecturer and a Researcher with the Industrial Engineering Department, University of Muhammadiyah Malang. Her research interests include industrial management, and quality system. (E-mail: shanty@umm.ac.id, tel: +62-341 464 318 ext. 166).

Abdul Wahid is currently a Lecturer and a Researcher in the Industrial Engineering Department, Yudharta University. His research interests include management and quality. (E-mail: wahid_kd@yahoo.co.id).

Imam Santoso is currently a Lecturer and a Researcher in the Agroindustrial Department, Brawijaya University. He is a Professor in the Field of System Science and Agro-Industry Management at the Faculty of Agricultural Technology, Universitas Brawijaya. (Email: imam-santoso@ub.ac.id)

PUBLIC INTEREST STATEMENT

The Vehicle Routing Problem (VRP) is a matter of determining the optimal routes carried out by vehicles to serve a particular set of customers. One of some problem in VRP is the Vehicle Routing Problem for Perishable Goods (VRPFG) that address for products that are rapidly losing quality and perishable. In this paper, a systematic literature review is carried out on the single and multiple-objective problem-solving. These problems are classified based on optimization methods and objective functions. Most of the reviewed papers above consider a single-objective problem, while some focus on multi-objective problems. Moreover, an analysis based on the optimization method, and the objective function is presented completely in single and multiple-objective problems. Finally, future studies are suggested to explore comprehensive studies in the VRPFG problem.

Keywords: optimization; perishable goods; routing; VRP

1. Introduction

Recently, the logistics industry has been increasing significantly, and it is expected to continue to develop over the next few years (Chen & Shi, 2019). In the United States, the logistics industry has developed for more than 12.7% (Damicis, 2018). This industry generates more than 400,000 new jobs and is projected to continue to grow until 2022 (Huang et al., 2019). In China, the logistics industry has shown significant growth in recent years, and it ranks first place among forty-five developing industries worldwide (Yao et al., 2019). One of the problems in the logistics industry is the Vehicle Routing Problem (VRP) (Putri, 2016). The VRP is a determining problem of the optimal routes that carried out by a fleet of vehicles to serve a particular set of customers (Masudin et al., 2019; Mohammed et al., 2017; Zhang et al., 2019). This problem is one of the essential combinatorial optimization issues to investigate in the logistics sector (Eshthani et al., 2020; Garside et al., 2016; Xu et al., 2019). The VRP problems were first investigated by Tarantilis and Kiranoudis (2001), Hsu et al. (2007), and Kang and Lee (2007). The route determination becomes a complex problem in perishable products because the products can quickly get damaged or decreasing quality (Sinha & Anand, 2020). Some products that are classified as perishable goods include food, fruit, and vegetable products (agricultural products). This problem has received considerable critical attention from many researchers.

Many researchers are enthusiastic about investigating the Vehicle Routing Problem for Perishable Goods (VRPFG). However, there have not been any researchers reviewing literature papers on the VRPFG that facilitate future research. Some reviews of VRP have been found in various scientific paper databases. Euchi (2017) analysis the metaheuristic approach to Vehicle Routing Problems with a Private fleet and Common Carrier. Koç and Laporte (2018) examine VRP with backhauls. Meanwhile, Gayialis et al. (2019) and Konstantakopoulos et al. (2017) investigate VRP for urban freight transportation. In addition, Ritzinger et al. (2016), Oyola et al. (2017), and Oyola et al. (2018) observe dynamic and stochastic VRP. Braekers et al. (2016) examined articles about the classification of VRP. Toro et al. (2016) review the VRP papers in the green transportation context. Meanwhile, Lahyani et al. (2015) overview research articles on taxonomy and the definition of VRP. Vidal et al. (2019) discuss the variants of existing problems in VRP. Lastly, Goel and Bansal (2020) assess papers about the hybrid approach to VRP.

The VRPFG problems are more challenging and complex than the classic VRP. Since Tarantilis and Kiranoudis (2001) introduced the VRPFG problem, several studies in the form of journals and conference papers in the VRPFG problem have been published. In the VRPFG problem, the best solution can be achieved with the optimization process, and the decision-maker makes a decision based on the maximum or minimum value. Some decision problems of VRPFG involve one goal, which is classified as a single objective problem. Decision problems also consist of several conflicting objectives called multi-objective problems. In a single objective problem, one of the strengths of this problem is the aspect of excellent solution stability. However, the main weakness is the optimality aspect because it only considers one goal.

Conversely, multi-problems have strengths in the optimality aspect because they consider multiple decision objectives. However, the weakness in this problem is the aspect of the stability of the solution (Pies et al., 2019). Although many research papers have been published, there is no systematic review focused on the VRPFG issue. Therefore, the motive for this review is to present a comprehensive idea of the scientific literature by presenting a classification of optimization methods from the VRPFG paper based on the single and multi-objective problem.

This paper aims to provide an in-depth analysis of single and multi-objective problems in the VRPFG. A systematic review for the VRPFG was based on the optimization methods and objective function in the single and multi-objective problems. Most of the reviewed papers consider a single-

objective problem, while some focus on multi-objective problems. The researchers collected fifty-nine papers from accessible databases. It was projected that this paper would give a contribution to provide new insight into the VRPFPG, especially in the aspects of the optimization methods and objective function in the single and multi-objective problems. It was also expected that this review contributes to a deeper understanding of the VRPFPG. The organization of the paper was presented as follows: Section 2 presents the method of literature review; section 3 displays the results, analysis, and future work; and the last part projects the conclusion.

2. Methods

A literature review is a comprehensive study that is used to investigate research in emerging fields and to guide future research with the existing studies. The researchers employed several literature review stages as follows: Step 1: setting the keywords and collecting data; Step 2: development of the VRPFPG classification schema; Step 3: reviewing the collected literature; Step 4: separating and tabulating the literature according to the classification schema; Step 5: presenting the literature reviews using the classification schema, and Step 6: analyzing the reviews and presenting suggestions for future work. Some of the abbreviations used in this paper are described as follows.

2.1. Keywords and data collection

To achieve the objectives of the study, the researchers collected the VRPFPG papers using the keywords based on the Boolean method. The keyword used is “vehicle routing problem” and “perishable”. The data collection was carried out by thoroughly examining some accessible popular databases such as Elsevier, IEEE, Springer, Taylor & Francis, MDPI, as well as Hindawi. Moreover, to search for papers in other databases, Google Scholar was used as a search engine. Fifty-nine papers were collected from the year 2001 to March 2020. Paper distribution is shown in Figure 1, and the classification of Type of Publication papers of the VRPFPG can be seen in Figure 2. Most papers were obtained 46 papers from journals (78%), and the rest was 13 papers from the conference paper (22%).

2.2. Classification schema of literature review

Classifying of the papers are based on by year, country, as well as optimization methods and objective function in the single and multi-objective problem. Categories single and multi-objective problems were chosen because these problems are the decision problem VRPFPG that can be chosen by decision-makers. A complete descriptive analysis is presented in Section 3, and the paper review framework can be seen in Figure 3. This paper reviewed the VRPFPG based on single and multi-objective optimization methods. Fifty-eight papers in English were successfully collected, and one article was a paper in Spanish. In paper non-English, we used a translation engine to make it easier to review. The collected papers were read and examined in-depth according to the classification schema.

Figure 1. Paper distribution based on publisher.




Figure 2. Number and type of publication.





Figure 3. Literature review classification schema on the VRPfPG.




3. Results, analysis, and future work

3.1. Paper distribution based on year and country of publication

VRP is a problem that has developed rapidly over the last few decades. However, increasing literature on VRPfPG has also been significant. As can be seen in Figure 4, it shows an increasing interest in the studies of the VRPfPG. Most papers were published from 2014 to 2019. Even in early

Figure 4. Paper distribution based on year of publication.



2020, two papers have been published by researchers. However, there was not any similarity in the topic of papers published each year.

As mentioned earlier, the researchers reviewed papers issued between 2001 to March 2020. There Fifty-nine papers were successfully collected on this issue published in scientific papers. Papers distribution based on year is shown in Figure 4. It shows that very few papers were published between 2001 and 2013. Only one publication was produced in 2001, 2008 to 2009, two papers in 2007, three papers in 2010, one article in 2011 and 2012 respectively, and two papers in 2013. Between 2014 and March 2020, there was an increase in the number of publications about the VRPfPG. It gave a total of forty-seven (47) publications by March 2020. The most significant increase in the published papers occurred in 2017 to March 2020.

Based on the country of publication, the topic of VRPfPG attracted the attention of many researchers around the world. Figure 5 shows that China was the country with the highest number of articles about the VRPfPG problem (sixteen papers). Iran followed it in second place, and Indonesia was in third place. Iran and Indonesia have contributed thirteen and four papers, respectively. It can be assumed that the research on this issue has been appealing in several countries.

3.2. Single-objective VRPfPG

This section presents a literature review in a single objective problem that is classified toward optimization methods for solving VRPfPG. Forty-two papers (71%) were collected, and the summarizing of papers can be seen in Table 1. The classifying of the optimization method in solving the VRPfPG is divided into five approaches, such as heuristic, metaheuristic, exact, hybridization, and simulation. A full review of this problem is presented in the next section.

3.2.1. Heuristics

This section summarized the studies on the VRPfPG problems with heuristic optimization methods. As Non-Polynomial Hard (NP-Hard) problems, some researchers have proposed heuristic methods to solve VRPfPG issues. Hsu et al. (2007) were the first researchers to overcome the VRPfPG problem with a heuristic solution. They used the Time-Oriented Nearest-Neighbour Heuristic algorithm for minimizing the total cost distribution. At the same time, Kang and Lee (2007) proposed the set partitioning problem to decrease the total distribution time.

On the other hand, ²⁰Osvald and Stirn (2008) developed the heuristic algorithm to minimize the cost of delivery. The Nelder-Mead heuristic method was then proposed by Chen et al. (2009) to

Figure 5. Paper distribution based on the country of publication.




Table 1. Reviewed papers about single-objective in the VRP/PG

Year	Authors	Objective Function						Optimization Methods						
		Min TCD	Min FC	Max TLCS	Min TTD	Max FSDP	Max P	Min TDT	Metaheuristic	Heuristic	Exact	Simulation	Hybridization	
2001	Tarantilis and Kiranoudis (2001)				V									
2007	Hsu et al. (2007) Kang and Lee (2007)	V					V					V		
2008	Osvold and Stirn (2008)	V										V		
2009	Chen et al. (2009)							V				V		
2010	Xunyu and Tomohiro (2010) Tunjong sirigul and Pongchairerks (2010)	V										V		
2011	Keskinturk and Yildirim (2011)	V										V		
2012	Abraham et al. (2012)	V										V		

(Continued)

Table 1. (Continued)

Year	Authors	Objective Function						Optimization Methods						
		Min TCD	Min FC	Max TLCS	Min TTD	Max FSDP	Max P	Min TDT	Metaheuristic	Heuristic	Exact	Simulation	Hybridization	
2013	L. Li et al. (2013)	V							V					
	Shukla and Jharkharia (2013)	V							V					
2014	Amairim et al. (2014)	V								V				
	Syedho sseini and Ghoreyshi (2014)	V											V	
	Zhang and Chen (2014)	V												
	Rong and Sha (2014)	V												
	Agustina et al. (2014)	V											V	

(Continued)

Table 1. (Continued)

Year	Authors	Objective Function								Optimization Methods					
		Min TCD	Min FC	Max TLCS	Min TTD	Max FSDP	Max P	Min TDT	Metaheuristic	Heuristic	Exact	Simulation	Hybridization		
2015	P. Li et al. (2015)	V										V			
	Seyedhosseini and Ghoreyshti (2015)	V										V			
	Adarme-Jaimes and Orjuela-Castro (2015)	V											V		
	Belo-Filho et al. (2015)	V											V		
	Zheng (2015)	V									V				
	Song and Ko (2016)	V												V	
2016	Rabbani et al. (2016)	V												V	
	Diabat et al. (2016)	V												V	
	Nair et al. (2016)	V												V	
	Bortolini et al. (2016)	V												V	

(Continued)

Table 1. (Continued)

Year	Authors	Objective Function						Optimization Methods						
		Min TCD	Min FC	Max TLCS	Min TTD	Max FSDP	Max P	Min TDT	Metaheuristic	Heuristic	Exact	Simulation	Hybridization	
2017	Tirko laee et al. (2017)				V						V			
	Ma et al. (2017)						V							V
	Haerani et al. (2017)	V						V						
	Komijan and Delavari (2017)	V								V				
	Devapriya et al. (2017)	V									V			
	Marandi and Zegardi (2017)	V											V	

(Continued)

Table 1. (Continued)

Year	Authors	Objective Function								Optimization Methods				
		Min TCD	Min FC	Max TLCS	Min TTD	Max FSDP	Max P	Min TDT	Metaheuristic	Heuristic	Exact	Simulation	Hybridization	
2018	Lacomme et al. (2018) ¹³	V												V
	Noguera et al. (2018)				V									V
	Salam et al. (2018)	V						V						
	Nadhori and Ahsan (2018)	V								V				
	Patidar et al. (2018)	V							V					
	Lin et al. (2018)	V												V
2019	Lin et al. (2019)	V												
	Chen et al. (2019)	V							V					
	Mene ghetti and Ceschia (2019)		V								V			
2020	Y. Wang et al. (2019) ¹³	V											V	
	Tirkalae et al. (2020)	V											V	

maximize the expected total profits, integrated production, and route decisions by considering time windows. Moreover, the Neighborhood Search (NS) procedure has been used by Amorim et al. (2014), and Belo-Filho et al. (2015) to suppress the total cost distribution. To maximize the total level of customer satisfaction, Song and Ko (2016) implemented the Priority-based Heuristic Algorithm. Another emerging idea was that the *Tabu* search algorithm had been used by Diabat et al. (2016) and Nadhori and Ahsan (2018) to minimize the total cost distribution.

3.2.2. Metaheuristics

As mentioned in the previous section, the VRPFPG is an NP-hard combinatorial problem. Researchers have also used some metaheuristics algorithms for optimizing the single-objective VRPFPG problem. The first metaheuristics algorithm in the VRPFPG was proposed by Tarantilis and Kiranoudis (2001). They suggested the Backtracking Adaptive Threshold Accepting for reducing the total traveled distance. Moreover, Xunyu and Tomohiro (2010) were the first to propose the Genetic Algorithm (GA) to solve the VRPFPG. The GA was used to minimize the distribution cost by considering the time window. The GA has also been exercised by Tunjongsirigul and Pongchairerks (2010), Keskinturk and Yildirim (2011), Abraham et al. (2012), Zhang and Chen (2014), Rong and Sha (2014), P. Li et al. (2015), and Salam et al. (2018) to reduce the cost of delivery. Meanwhile, Zheng (2015) improved the GA for minimizing the total transportation cost, and Rabbani et al. (2016) utilized the GA to decrease the total cost delivery by considering multi-middle depots. The GA was studied by Haerani et al. (2017) to optimize multiple depots VRPFPG problems. They used the objective function to reduce the delivery cost, while Patidar et al. (2018) implemented the GA to minimize the total cost distribution by considering sustainable aspects.

A differential evolution-artificial bee colony algorithm was suggested by L. Li et al. (2013) for decreasing transportation costs. Meanwhile, Shukla and Jharkharia (2013) used an Artificial Immune System to reduce the total cost delivery with time window constraints. In addition, the Particle Swarm Optimization (PSO) was considered to minimize the total cost distribution by considering production decisions (Lu & Wang, 2017). Recently, Chen et al. (2019) proposed the Improved Ant Colony Optimization (ACO) Algorithm Based on *Tabu Search* (TS) algorithm to perform similar distribution costs cut out. Furthermore, the sophisticated whale optimization algorithm was also performed by Y. Wang et al. (2019) for minimizing the total cost distribution.

3.2.3. Exact methods

In 2014–2020, several researchers used the exact method to solve the VRPFPG problem. Aguilina et al. (2014) developed the model to solve the VRPFPG problem with a cross-docking using Mixed-Integer Linear Programming (MILP). They implemented it to minimize the total cost distribution. MILP was also used by Seyedhosseini and Ghoreyshi (2015), who integrated production decisions to minimize the total cost distribution. The VRPFPG problems with pick-up and delivery were proposed by Nair et al. (2016) using MILP to minimize the total cost distribution.

Bortolini et al. (2016) developed a MILP model to minimize the total cost of delivery by considering the distribution cost, delivery time, and carbon footprint cost. Meanwhile, Tirkolaei et al. (2017) found a similar MILP model for multi-trip with intermediate depots and time windows that reduced the total traveled distance. To solve multi-period, multi-perishable product systems with time windows, Komijan and Delavari (2017) offered a MILP model. Devapriya et al. (2017) generated the MILP to decrease the total cost distribution by considering production decisions. Recently, Meneghetti and Ceschia (2019) also implemented the MILP model for reducing fuel consumption. In the following year, Tirkolaei et al. (2020) also constructed the MILP model for minimizing the total cost distribution by considering several environmental aspects.

3.2.4. Hybridizations and simulation

In this section, five papers on the Hybridizations method, and one paper on the simulation method were examined. Seyedhosseini and Ghoreyshi (2014) used a Linear Programming Model and PSO to

minimize the total cost distribution. Meanwhile, Ma et al. (2017) developed the Ant colony algorithm-neighborhood hybrid algorithm to solve combined order selection and time-dependent problems with time windows. They suggested the objective function of maximizing profit. Greedy Randomized Adaptive Search Procedure (GRASP) algorithm-neighborhood search developed by Lacomme et al. (2018) was exemplified for minimizing total cost distribution. In addition, Noguera et al. (2018) engineered the PSO-TS algorithm to maximize the freshness state of the delivered products, while recently, Lin et al. (2019) integrated GA-TS to minimize the total cost distribution. Meanwhile, Adarme-Jaimes and Orjuela-Castro (2015) were the only researchers who proposed the Monte Carlo simulation to minimize the total cost distribution.

Some researchers also compared hybridization procedures with classic heuristic and metaheuristic procedures. Some hybridization procedures proposed by the researchers resulted in more efficient solutions compared to classic heuristic and standard metaheuristic procedures.

3.3. Multi objectives VRPFG

In the VRPFG problem, some researchers consider multi-objective to optimize problem-solving. Seventeen articles (28%) of the total papers collected are multi-objective issues. One instance of an objective function in the case of multi-objectives is to minimize the total cost distribution and maximize the freshness of the state of the delivered products. In this paper, a few issues consider multi-objective on the VRPFG problem. Seventeen papers collected can be seen in Table 2.

3.3.1. Metaheuristics

In the multi-objective problem, Gong and Fu (2010) were the first researchers to propose metaheuristic procedures to solve the VRPFG problem. They argued that an ACO algorithm was able to minimize the total cost distribution and maximize the freshness of the delivered products. To minimize the total cost distribution and the total cost of environmental impact, the PSO algorithm was implemented by Govindan et al. (2014). They considered two-echelon multiple-vehicles with time windows and sustainable aspects. Meanwhile, Amorim and Almada-Lobo (2014) proposed an evolutionary algorithm to minimize the total cost distribution and maximize the freshness of the state of the delivered products. The problem to minimize the total cost of transportation and increase the freshness of the state of the delivered products was proposed by Khalili-Damghani et al. (2015) using the GA.

Meanwhile, Kuo and Nugroho (2017) solved the problem of multi-objective balance cargo with time windows and time-dependent using the Gradient Evolution (GE) algorithm. The problem of multi-commodities for minimizing the total cost distribution and reducing the weighted deterioration ratio was pinpointed by Lu and Wang (2017). They used Improved Harmony Search to optimize the problem.

Recently, Sahraeian and Esmaili (2018) proposed the GA to reduce the total cost of distribution and reduce the total cost of environmental impact on a two-echelon capacitated vehicle routing problem. Some sophisticated metaheuristic algorithms have also been offered in the multi-objective problems. A biogeography-based optimization algorithm was suggested by Fatemi Ghomi and Asgarian (2019) to overcome the high cost of distribution and product freshness issues. The problem also involved lost sale products in the case. Furthermore, to minimize the total cost distribution and maximize the freshness of the state of the delivered products considering decaying factors, S. Li et al. (2019b) claimed that the use of ACO was useful in solving this problem. Even the GE algorithm was implemented by Zulvia et al. (2020) to solve four objective functions at once. These objective functions were minimizing the total cost distribution, reducing the total cost of environmental impact, maximizing the total level of customer satisfaction, and minimizing the damage. Their research is classified as the green VRPFG with time windows and time dependencies.

3.3.2. Heuristics, exact, and hybridization

This section described several multi-objective studies on the classification of heuristic, exact, and hybridization optimization solutions. In the heuristics optimization solution, Esmaili and Sahraeian

Table 2. Reviewed papers about multi-objective VRPPG

Year	Author	Objective Function										Optimization Methods						
		BL	Min TCD	Min FC	Min TCEI	Max TLCS	Min TTD	Min FSDP	Max CWT	Min D	Min TDT	Min WDR	Metaheuristic	Heuristic	Exact	Hybridization		
2010	Gong and Fu (2010)		V				V									V		
2014	Govindan et al. (2014)		V		V												V	
	Amerim and Almada-Lobo (2014)		V					V									V	
2015	Khalil-Damghani et al. (2015)		V									V					V	
2016	Wang et al. (2016)		V									V						V
2017	Esmaili and Sahraei (2017)		V										V				V	
	Kuo and Nugroho (2017)		V														V	
	Lu and Wang (2017)		V														V	

(Continued)

Table 2. (Continued)

Year	Author	Objective Function										Optimization Methods				
		BL	Min TCD	Min FC	Min TCEI	Max TLCS	Min TTD	Max FSDP	Min CWT	Min D	Min TDT	Min WDR	Metaheuristic	Heuristic	Exact	Hybridization
2018	Buevas Padilla et al. (2018)					V								V		
	Sahraei and Esmaeili (2018)		V													
	Wang et al. (2018)		V													V
	Navazi et al. (2018)		V	V										V		
	Rahbari et al. (2019)		V												V	
2019	Fatemi Ghomi and Asgarian (2019)		V													
	S. Li et al. (2019b)		V													
	P. Li et al. (2019a)		V													V
2020	Zulvia et al. (2020)		V		V											V

(2017) implemented a mathematical model based on a simple additive weighting method for minimizing the total cost distribution and minimizing the total customer's waiting time. Pareto front heuristic was studied by Buelvas Padilla et al. (2018). This algorithm considered road conditions for minimizing the total traveled distance and minimizing the damage. A new algorithm based on the Torabi-Hassini method was proposed by Navazi et al. (2018) to reduce the total cost distribution, limit the fuel consumption, minimize the total cost of environmental impact, and maximize the total level of customer satisfaction.

In the exact optimization solution, Rahbari et al. (2019) developed the MILP model to minimize the total cost distribution and maximize the freshness of the state of the delivered products. They considered cross-docking under uncertainty. The MILP model was also developed by P. Li et al. (2019a) for minimizing the total cost distribution and minimizing the total distribution time. They solved the problem of capacitated routing problems for multiple commodities. In the hybridization optimization solution, Wang et al. (2016) considered the temporal-spatial distance to minimize the total cost distribution and maximize the freshness of the state of the delivered products. Wang et al. (2018) used GA to minimize the total cost distribution and maximize the freshness of the state of the delivered products by considering mixed time windows.

3.4. Analysis and future research

3.4.1. Analysis

Based on Figure 4, There was an increasing trend in the growing interest in the VRPFG problem. Figure 5 shows the distribution of papers by country based on the first author's affiliation account. It illustrates that the popularity of this topic is spreading in several countries. Based on the review, Figure 6 shows the classification of the optimization methods for the VRPFG in the single-objective problem. It is clear from this figure that a huge of researchers use metaheuristic procedures to solve VFPFG on single-objective problems. However, measily researchers use a simulation approach. 45.3% (19 papers) used a metaheuristic approach to resolve this problem. Nine papers (21.4%) implemented the exact approach, and eight papers (19%) used a heuristic approach. The hybridization approach (heuristic-metaheuristics and exact-metaheuristics) is five papers (11.9%). Only one researcher implemented a simulation approach (2.4%). In the multi-objectives problem, the paper distribution based on the classification of optimization methods can be seen in Figure 7. From the figure, it can be seen that the metaheuristic procedure is a popular procedure used by researchers. Metaheuristics procedure was the most popular procedure used for problem-solving. Researchers used 58.8% (10 papers) of the total multi-objective papers. The exact, heuristic and hybridization procedures did not attract the attention of most of the researchers.

Optimization methods distribution of single-objective problems based on year of publication can be seen in Figure 8. From this data, we can see that the heuristic method was a popular method

Figure 6. Paper distribution on the single-objective based on the classification of optimization methods.




Figure 7. Paper distribution on the multi-objective based on classification of optimization methods.





Figure 8. Optimization methods distribution of single-objective problem based on year of publication.



used in 2007–2009. Currently, the metaheuristic method is increasingly popular to solve single-objective problems, and increased interest has occurred from 2013-present. Researchers also combine heuristic-metaheuristic methods to solve problems. It was carried out in 2017–2019. The exact method is also of interest to researchers even though it requires a significant time to solve the problem. Unfortunately, the simulation method is less attractive to researchers. Figure 9 shows the optimization methods distribution of multi-objective problems based on the year of publication. As in the single-objective problem, the metaheuristic method has been improving since 2013-present.

In a single-objective problem, GA was the most popular algorithm used by the researchers. Twelve papers implemented GA to optimize the VRPFG. The second position was NS with six papers. This approach is broadly used due to its practicality by merely swapping neighboring positions. The objective function for the single-objective problem is shown a pie chart in Figure 10. The results show that thirty-four papers (82%) applied the Minimized-Total Cost Distribution (Min-TCD) objective function. The purpose of the researchers in using this objective function is that it is easy to apply and serves a significant factor in the distribution. Unfortunately, research for maximizing the total level of customer satisfaction, minimizing fuel consumption, maximizing the freshness state of the delivered products, and minimizing the total distribution time received less attention from researchers. Each of them was only found in 1 paper.

In a multi-objective problem, four (4) papers utilized GA to optimize the VRPFG. GA is widely used as this approach is the first metaheuristic approach popularly employed in many studies. GA has the main framework, such as mutation and crossover. The next metaheuristic approach

Figure 9. Optimization methods distribution of multi-objective problem based on year of publication.





Figure 10. The pie chart of the objective functions in the single-objective VRPFG.



is ACO, which is used by researchers to solve two VRPFG problems. Furthermore, the objective function of the multi-objective problem is presented in Figure 11. The paper observation results indicate that sixteen papers utilized the Minimized-Total Cost Distribution objective function. The researchers argued that this objective function is selected as it is practical, and at the same time, plays a significant factor in the distribution of goods. Another popular objective function was maximizing the freshness state of the delivered products. The objective function was to maximize the freshness of the products being sent. This objective function is essential as the products dispatched are classified as perishable goods. Bi-objective for minimizing the total cost distribution and maximizing the freshness of the state of the delivered is a famous problem studied. Eight articles have been studied in this objective function. However, the problems of balancing the load in each vehicle, minimizing fuel consumption, minimizing the total distribution time, minimizing the total customers' waiting time, minimizing the total traveled distance, and minimizing the weighted deterioration ratio have received very little attention from researchers.

In the VRPFG research, there is an increase in research interest in this issue (Figure 4). Meanwhile, a comparison of the number of publications each year for single and multi-objective problems can be observed in Figure 12. For the past six years (2014- March 2020), the publication of single-objective problems displays quite stagnant data. However, the publication of multi-objective issues has increased significantly. These results pinpoint that the multi-objective problem research trend is more popular than the single-objective problem.

Figure 11. Pie chart of the objective function for the multi-objective VRPFG.





Figure 12. Distribution of single and multi-objective functions based on year of publication.



Many researchers used heuristic and metaheuristic functions to solve the VRPFG. These procedures were selected because they can produce better results with a relatively short computational time. Some researchers implemented an exact procedure to solve the VRPFG, as this procedure has gained optimal results. However, it requires a relatively large amount of computing time. Therefore, as an NP-hard problem, researchers claim that metaheuristic and heuristic approaches are beneficial for VRPFG problems. Advanced heuristic and metaheuristic algorithms are useful for optimizing VRPFG problems.

3.4.2. Future research

Based on the analysis of figures and tables in the previous subsection, some insights and research directions are described as follows:

Only 17 of 59 publications address multi-objective problems. However, on single-objective problems, 42 papers have been published. Therefore, future research needs to focus on multi-objective problems considering that this problem has been developing rapidly in the last five years. 59 Published papers focus on developing new VRPFG models and solution methods for real-world applications. In addition, the majority of VRPFG research is aimed at pure investigations, not applications. Several other studies have concentrated on developing new algorithms and the performance of their procedures. Therefore, several applications of VRPFG problems need to be investigated in the fields of food, fruit, vegetable products (agricultural products), and agroindustry.

In a single-objective problem, most VRPFPG problems are acquainted with minimizing the total cost distribution objective function. On the other hand, very few papers are used to investigate nontraditional goals in a single-objective problem such as the objective function of maximizing the freshness of the state of the delivered products, reducing the total cost of environmental impact, as well as minimizing the damage of the delivered products. Therefore, this study proposes that future researchers should focus on developing optimization for the nontraditional objectives in a single-objective problem such as the objective function of maximizing the freshness of the state of the delivered products, minimizing the damage of the delivered products, as well as reducing the total cost of environmental impact.

Very few published articles investigated multi-objective problems. One significant problem in multi-objectives is the B-objective of minimizing the total cost distribution and maximizing the freshness of the state of the delivered products. A clear gap occurred in this study, as many other objective functions have industrial relevance. In the multi-objective problems, which means that the objective function considers several criteria, the number of the reviewed papers was found to be inadequate. Therefore, this study proposes that future researchers focus on broadening the observation of optimization methods for multi-objective papers. Future researchers also need to consider more than two objectives to optimize the objective function (e.g., minimizing the total cost distribution, maximizing the freshness of the state of the delivered products, minimizing the total cost of environmental impact, and minimizing the damage). Such investigations are implemented to find non-dominant solutions. Furthermore, with the current trend, aspects of sustainability need to be considered. Lastly, the gap in this study can be bridged by proposing an efficient and effective solution for multi-objective problems.

Moreover, in the single objective and multi-objective problem, realistic complex VRPG issues need to be considered for future research because it has not been considered in previous research. Some additional obstacles are urged to be investigated, such as the pick-up and delivery processes, time windows, and dynamic vehicle speeds for the VRPFPG problems. In addition, some features that are not and are less considered in VRPFPG problems include variations in vehicle speed and variations in demand. Generally, the problems investigated use the assumption of deterministic and constant vehicle speed and demand. However, this assumption is sometimes unrealistic to real problems. There is only 1 study that used simulation, taking into account uncertainty. Future studies can develop a VRPFPG model that is appropriate by considering variations in vehicle speed and variations in demand, even considering uncertainty vehicle speed and demand.

One of the complex problems in the field of logistics distribution is determining the optimal vehicle route. Early VRPFPG studies focused on proposing efficient algorithms. With the development of computer technology, many researchers preferred heuristic and metaheuristic procedures as the VRPFPG was classified as an NP-Hard problem. 45.3 % (nineteen papers) used the metaheuristic in the single-objective problem, and 58.8 % (ten papers) utilized the metaheuristic in the multi-objective problem-solving. Some widely-used algorithms, including the GA, ACO, and PSO, were exercised as well. Furthermore, Neighborhood Search (NS) is considered as a popular heuristic procedure used by researchers. Currently, very few advanced metaheuristics algorithms used to solve the VRPFPG problem. Only one paper proposes an advanced algorithm using a whale optimization algorithm to minimize total distribution cost (Y. Wang et al., 2019). Therefore, we suggest developing advanced metaheuristic algorithms to solve this problem. Moreover, a few heuristics algorithms and hybridization procedures are proposed, as their effectiveness has been well-proven. It should be noted that some heuristic and hybridization of heuristic-metaheuristic procedures can also be developed to solve VRPFPG problems. Additionally, we did not find any VRPFPG studies comparing the performance of the algorithms. Therefore, there is potential for research comparing algorithm performance.

On the other hand, in the exact method, MILP is a popular procedure for single and multi-objective problems. In single-objective problems, research generally uses the objective function of minimizing the total cost of distribution. There is an opportunity for further research to examine the objective function to maximize the total level of customer satisfaction, reducing fuel consumption, maximizing the freshness state of the delivered products, and minimizing the total distribution time received less attention from researchers. In multi-objective problems, previous research generally used two objective functions. There is a research gap that uses the objective function for more than two purposes. Therefore, in further investigation, it is necessary to study using > 2 objective functions in decision making.

4. Conclusion

In the Logistics system, determining the optimal route for transporting products to customers is one of the main functions. This paper focused on reviewing the optimization method and objective function from the VRPFG problem based on single and multi-objective problems. This study presented a complete analysis of the scientific literature of the VRPFG problem. This article successfully classified optimization methods based on a heuristic, metaheuristic, exact, hybridization, and simulation methods. In developing the VRPFG model, researchers ignore realistic assumptions on real problems. By considering realistic assumptions, future research will produce a model for VRPFG solutions that is more practical to apply. Some of the assumptions that need to be considered are varying vehicle speeds and uncertain demand.

Detailed insights and research directions can be found in future research in section 3. This review shows that the metaheuristic algorithm is the most widely used algorithm for solving VRPFG. This procedure has flexibility in finding solutions to NP-Hard problems. In single and multi-objective problems, some popular metaheuristic algorithms of the VRPFG were introduced, including GA and ACO, and several integrated procedures heuristics-metaheuristics were also suggested. Further research is expected to develop advanced metaheuristic algorithms that are proven to be useful for the single and multi-objective problems in the VRPFG problem. Future research needs to conduct a more in-depth investigation to compare the performance of the metaheuristic algorithm.

In a single-objective, minimizing distribution costs was most of the papers about the VRPFG implemented the objective function. Minimizing the total cost distribution and maximizing the freshness of the state of the delivered products were a significant problem in multi-objective problems. This study suggests focusing on developing objective function for a nontraditional in a single-objective problem. Meanwhile, in a multi-objective problem, future work needs to consider more than two objectives to optimize the objective function simultaneously. Aspect sustainability, including carbon emission and consumption energy, can be explored in the VRPFG problem because it came to the attention of the world.

Acknowledgements

The author would like to send his gratitude to Universitas Muhammadiyah Malang (UMM) for the full support to conduct this study. His next gratitude is delivered to the Department of Industrial Engineering-Optimizing Laboratory, allowing its facilities to be used in the research conduct.

Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Author details

Dana Marsetiya Utama¹
E-mail: dana@umm.ac.id
Shanty Kusuma Dewi¹
E-mail: shanty@umm.ac.id
Abdul Wahid²
E-mail: awahid@gmail.com
Imam Santoso³
E-mail: imamsantoso@ub.ac.id

¹ Department of Industrial Engineering, University of Muhammadiyah Malang, Malang, Indonesia.

² Department of Industrial Engineering, Universitas Yudharta Pasuruan, Pasuruan, Indonesia.

³ Universitas Brawijaya, Malang, Indonesia.

Disclosure statement

The authors declare that they have no conflict of interest.

Citation information

Cite this article as: The vehicle routing problem for perishable goods: A systematic review, Dana Marsetiya Utama, Shanty Kusuma Dewi, Abdul Wahid & Imam Santoso, *Cogent Engineering* (2020), 7: 1816148.

References

Abraham, A. K., Jos, B. C., & Mangalathu, G. S. (2012). The pick-up and delivery vehicle routing problem for perishable goods in air-cargo industry. *International Journal of Emerging Technology and Advanced Engineering*, 2(12), 790–794.

- Adarme-Jaimes, W., & Orjuela-Castro, J. A. (2015). Stochastic mathematical model for vehicle routing problem in collecting perishable products. *Dyna*, 82 (189), 199–206. <https://doi.org/10.15446/dyna.v82n189.48549>
- Agustina, D., Lee, C. K. M., & Piplani, R. (2014). Vehicle scheduling and routing at a cross docking center for food supply chains. *International Journal of Production Economics*, 152, 29–41. <https://doi.org/10.1016/j.ijpe.2014.01.002>
- Amorim, P., & Almada-Lobo, B. (2014). The impact of food perishability issues in the vehicle routing problem. *Computers & Industrial Engineering*, 67, 223–233. <https://doi.org/10.1016/j.cie.2013.11.006>
- Amorim, P., Parragh, S. N., Sperandio, F., & Almada-Lobo, B. (2014). A rich vehicle routing problem dealing with perishable food: A case study. *TOP*, 22(2), 489–508. <https://doi.org/10.1007/s11750-012-0266-4>
- Belo-Filho, M., Amorim, P., & Almada-Lobo, B. (2015). An adaptive large neighbourhood search for the operational integrated production and distribution problem of perishable products. *International Journal of Production Research*, 53(20), 6040–6058. <https://doi.org/10.1080/00207543.2015.1010744>
- Bortolini, M., Faccio, M., Ferrari, E., Gamberi, M., & Pilati, F. (2016). Fresh food sustainable distribution: Cost, delivery time and carbon footprint three-objective optimization. *Journal of Food Engineering*, 174, 56–67. <https://doi.org/10.1016/j.jfoodeng.2015.11.014>
- Braekers, K., Ramaekers, K., & Van Nieuwenhuyse, I. (2016). The vehicle routing problem: State of the art classification and review. *Computers & Industrial Engineering*, 99, 300–313. <https://doi.org/10.1016/j.cie.2015.12.007>
- Buelvas Padilla, M. P., Nisperuza Canabal, P. A., López Pereira, J. M., & Hernández Riaño, H. E. (2018). Vehicle routing problem for the minimization of perishable food damage considering road conditions. *Logistics Research*, 11(2), 1–18. http://dx.doi.org/10.23773/2018_2
- Chen, C., Gui, P., Ding, T., Na, S., & Zhou, Y. (2019). Optimization of transportation routing problem for fresh food by improved ant colony algorithm based on Tabu search. *Sustainability*, 11(23), 6584. <https://doi.org/10.3390/su11236584>
- Chen, H.-K., Hsueh, C.-F., & Chang, M.-S. (2009). Production scheduling and vehicle routing with time windows for perishable food products. *Computers & Operations Research*, 36(7), 2311–2319. <https://doi.org/10.1016/j.cor.2008.09.010>
- Chen, J., & Shi, J. (2019). A multi-compartment vehicle routing problem with time windows for urban distribution – A comparison study on particle swarm optimization algorithms. *Computers & Industrial Engineering*, 133, 95–106. <https://doi.org/10.1016/j.cie.2019.05.008>
- Damicis, J. (2018). *Recent and emerging trends in transportation and logistics*. <https://www.camoinassociates.com/recent-and-emerging-trends-transportation-and-logistics>
- Devapriya, P., Ferrell, W., & Geismar, N. (2017). Integrated production and distribution scheduling with a perishable product. *European Journal of Operational Research*, 259(3), 906–916. <https://doi.org/10.1016/j.ejor.2016.09.019>
- Diabat, A., Abdallah, T., & Le, T. (2016). A hybrid Tabu search based heuristic for the periodic distribution inventory problem with perishable goods. *Annals of Operations Research*, 242(2), 373–398. <https://doi.org/10.1007/s10479-014-1640-4>
- Eshtehadi, R., Demir, E., & Huang, Y. (2020). Solving the vehicle routing problem with multi-compartment vehicles for city logistics. *Computers & Operations Research*, 115, 104859. <https://doi.org/10.1016/j.cor.2019.104859>
- Esmaili, M., & Sahraeian, R. (2017). A new bi-objective model for a two-echelon capacitated vehicle routing problem for perishable products with the environmental factor. *International Journal of Engineering-Transactions A: Basics*, 30(4), 523–531. http://www.ije.ir/article_72916.html
- Euchi, J. (2017). The vehicle routing problem with private fleet and multiple common carriers: Solution with hybrid metaheuristic algorithm. *Vehicular Communications*, 9, 97–108. <https://doi.org/10.1016/j.vehcom.2017.04.005>
- Fotemi Ghomi, S., & Asgarian, B. (2019). Development of metaheuristics to solve a transportation inventory location routing problem considering lost sale for perishable goods. *Journal of Modelling in Management*, 14(1), 175–198. <https://doi.org/10.1108/JM2-05-2018-0064>
- Garside, A. K., Sulistyani, X., & Utama, D. M. (2016). Penentuan rute distribusi LPG dengan pendekatan model matematis. *Prosiding SENTRA (Seminar Teknologi Dan Rekayasa)*, (2), 12–18. <http://research-report.umm.ac.id/index.php/sentra/article/view/1825>
- Gayialis, S. P., Konstantakopoulos, G. D., & Tatiopoulos, I. P. (2019). Vehicle routing problem for urban freight transportation: A review of the recent literature. In Sifaleras, A., Petridis, K. (Eds.), *Operational research in the digital era-ICT challenges* (pp. 89–104). Springer.
- Goel, R. K., & Bansal, S. R. (2020). Hybrid algorithms for rich vehicle routing problems: A survey. In Nalepa, J. (Ed.), *Smart delivery systems* (pp. 157–184). Elsevier.
- Gong, W., & Fu, Z. (2010). ABC-ACO for perishable food vehicle routing problem with time windows. *2010 international conference on computational and information sciences* (pp. 1261–1264). Chengdu, Sichuan.
- Govindan, K., Jafarian, A., Khadoverdi, R., & Devika, K. (2014). Two-echelon multiple-vehicle location-routing problem with time windows for optimization of sustainable supply chain network of perishable food. *International Journal of Production Economics*, 152, 9–28. <https://doi.org/10.1016/j.ijpe.2013.12.028>
- Haerani, E., Wardhani, L. K., Putri, D. K., & Sukmana, H. T. (2017, August 8–10). Optimization of multiple depot vehicle routing problem (MDVRP) on perishable product distribution by using genetic algorithm and fuzzy logic controller (FLC). *2017 5th international conference on cyber and IT service management (CITSM)*, 2017, 1–5. Denpasar, Indonesia.
- Hsu, C.-I., Hung, S.-F., & Li, H.-C. (2007). Vehicle routing problem with time-windows for perishable food delivery. *Journal of Food Engineering*, 80(2), 465–475. <https://doi.org/10.1016/j.jfoodeng.2006.05.029>
- Huang, Y.-H., Blazquez, C. A., Huang, S.-H., Paredes-Belmar, G., & Latorre-Núñez, G. (2019). Solving the feeder vehicle routing problem using ant colony optimization. *Computers & Industrial Engineering*, 127, 520–535. <https://doi.org/10.1016/j.cie.2018.10.037>
- Kang, K. H., & Lee, Y. H. (2007). Heuristic for vehicle routing problem with perishable product delivery. *Journal of Korean Institute of Industrial Engineers*, 33 (2), 265–272.
- Keskinurk, T., & Yildirim, M. B. (2011). A genetic algorithm metaheuristic for bakery distribution vehicle routing problem with load balancing. *2011 international symposium on innovations in intelligent systems and applications* (pp. 287–291). Istanbul, Turkey.

- Khalili-Damghani, K., Abtahi, A.-R., & Ghasemi, A. (2015). A new bi-objective location-routing problem for distribution of perishable products: Evolutionary computation approach. *Journal of Mathematical Modelling and Algorithms in Operations Research*, 14(3), 287–312. <https://doi.org/10.1007/s10852-015-9274-3>
- Koç, Ç., & Laporte, G. (2018). Vehicle routing with back-hauls: Review and research perspectives. *Computers & Operations Research*, 91, 79–91. <https://doi.org/10.1016/j.cor.2017.11.003>
- Komijan, A. R., & Delavari, D. (2017). Vehicle routing and scheduling problem for a multi-period, multi-perishable product system with time window: A case study. *International Journal of Production Management and Engineering*, 5(2), 45–53. <https://doi.org/10.4995/ijprme.2017.5960>
- Konstantakopoulos, G. D., Gayialis, S. P., & Tatsiopoulos, I. P. (2017). Vehicle routing problem for urban freight transportation: A review. *6th international symposium and 28th national conference on operational research* (pp. 14–20). Thessaloniki, Greece.
- Kuo, R., & Nugroho, D. Y. (2017). A fuzzy multi-objective vehicle routing problem for perishable products using gradient evolution algorithm. *2017 4th international conference on industrial engineering and applications (ICIEA)* (pp. 219–223). Nagoya, Japan.
- Lacomme, P., Moukrim, A., Quilliot, A., & Vinot, M. (2018). Supply chain optimisation with both production and transportation integration: Multiple vehicles for a single perishable product. *International Journal of Production Research*, 56(12), 4313–4336. <https://doi.org/10.1080/00207543.2018.1431416>
- Lahyani, R., Khemakhem, M., & Semet, F. (2015). Rich vehicle routing problems: From a taxonomy to a definition. *European Journal of Operational Research*, 241(1), 1–14. <https://doi.org/10.1016/j.ejor.2014.07.048>
- Li, L., Yao, F., & Niu, B. (2013). DEABC algorithm for perishable goods vehicle routing problem. *International conference on intelligent computing* (pp. 624–632). Nanning, China.
- Li, P., He, J., Zheng, D., Huang, Y., & Fan, C. (2015). Vehicle routing problem with soft time windows based on improved genetic algorithm for fruits and vegetables distribution. *Discrete Dynamics in Nature and Society*, 2015, 1–8. <https://doi.org/10.1155/2015/483830>
- Li, P., Lan, H., & Saldanha-Da-Gama, F. (2019a). A bi-objective capacitated location-routing problem for multiple perishable commodities. *IEEE Access*, 7, 136729–136742. <https://doi.org/10.1109/ACCESS.2019.2941363>
- Li, S., Liu, Z., Fang, H., & Liu, L. (2019b). Vehicle routing problem of fresh agricultural products considering decaying factors. *IOP conference series: Materials science and engineering* (pp. 044012). Jiaozuo, China.
- Lin, L., Zhang, Z., Wang, J., Yang, L., Shi, Y., & Soar, J. (2019). Optimizing urban distribution routes for perishable foods considering carbon emission reduction. *Sustainability*, 11(16), 4387. <https://doi.org/10.3390/su11164387>
- Lu, S., & Wang, X. (2017). A fuzzy bi-objective multi-commodity minimum cost flow-based perishable food transportation problem and its harmony search algorithm. *2017 IEEE 2nd information technology, networking, electronic and automation control conference (ITNEC)* (pp. 725–728). Chengdu, China.
- Ma, Z.-J., Wu, Y., & Dai, Y. (2017). A combined order selection and time-dependent vehicle routing problem with time windows for perishable product delivery. *Computers & Industrial Engineering*, 114, 101–113. <https://doi.org/10.1016/j.cie.2017.10.010>
- Marandi, F., & Zegordi, S. (2017). Integrated production and distribution scheduling for perishable products. *Scientia Iranica*, 24(4), 2105–2118. <https://doi.org/10.24200/sci.2017.4.298>
- Masudin, I., Sa'diyah, R. F., Utama, D. M., Restuputri, D. P., & Jie, F. (2019). Capacitated vehicle routing problems: Nearest neighbour vs. Tabu search. *International Journal of Computer Theory and Engineering*, 11(4), 76–79. <https://doi.org/10.7763/IJCTE.2019.V11.1246>
- Meneghetti, A., & Ceschia, S. (2019). Energy-efficient frozen food transports: The refrigerated routing problem. *International Journal of Production Research*, 58(14), 1–18. <https://doi.org/10.1080/00207543.2019.1640407>
- Mohammed, M. A., Abd Ghani, M. K., Hamed, R. I., Mostafa, S. A., Ahmad, M. S., & Ibrahim, D. A. (2017). Solving vehicle routing problem by using improved genetic algorithm for optimal solution. *Journal of Computational Science*, 21, 255–262. <https://doi.org/10.1016/j.jocs.2017.04.003>
- Nadhori, I. U., & Ahsan, A. S. (2018). Distribution system for perishable farming product 2018 international electronics symposium on knowledge creation and intelligent computing (IES-KCIC) (pp. 388–394). Bali, Indonesia.
- Nair, D. J., Grzybowska, H., Rey, D., & Dixit, V. (2016). Food rescue and delivery: Heuristic algorithm for periodic unpaired pick-up and delivery vehicle routing problem. *Transportation Research Record: Journal of the Transportation Research Board*, 2548(1), 81–89. <https://doi.org/10.3141/2548-10>
- Navazi, F., Tavakkoli-Moghaddam, R., Savzar, Z., & Memari, P. (2018). Sustainable design for a bi-level transportation-location-vehicle routing scheduling problem in a perishable product supply chain. *International Workshop on Service Orientation in Holonic and Multi-Agent Manufacturing* (pp. 308–321). Cham: Springer International Publishing.
- Noguera, J. D. G., Riaño, H. E. H., & Pereira, J. M. (2018). Hybrid PSO-TS-CHR algorithm applied to the vehicle routing problem for multiple perishable products delivery. *Workshop on Engineering Applications*, 61–72. https://doi.org/10.1007/978-3-030-00353-1_6
- Osvold, A., & Stirn, L. Z. (2008). A vehicle routing algorithm for the distribution of fresh vegetables and similar perishable food. *Journal of Food Engineering*, 85(2), 285–295. <https://doi.org/10.1016/j.jfoodeng.2007.07.008>
- Oyola, J., Arntzen, H., & Woodruff, D. L. (2017). The stochastic vehicle routing problem, a literature review, part II: Solution methods. *EURO Journal on Transportation and Logistics*, 6(4), 349–388. <https://doi.org/10.1007/s13676-016-0099-7>
- Oyola, J., Arntzen, H., & Woodruff, D. L. (2018). The stochastic vehicle routing problem, a literature review, part I: Models. *EURO Journal on Transportation and Logistics*, 7(3), 193–221. <https://doi.org/10.1007/s13676-016-0100-5>
- Patidar, R., Venkatesh, B., Pratap, S., & Daultani, Y. (2018). A sustainable vehicle routing problem for indian agri-food supply chain network design. *2018 international conference on production and operations management society (POMS)* (pp. 1–5). Peradeniya, Sri Lanka.
- Pies, I., Schreck, P., & Homann, K. (2019). Single-objective versus multi-objective theories of the firm: Using a constitutional perspective to resolve an old debate.

- Review of Managerial Science*. <https://doi.org/10.1007/s11846-019-00376-x>
- Putri, D. A. P. (2016). Vehicle routing problem dengan time window untuk multiple product dan multiple route Menggunakan algoritma sequential insertion. *Jurnal Teknik Industri*, 17(1), 22–30. <https://doi.org/10.22219/JTIUMM.Vol17.No1.22-30>
- Rabbani, M., Farshbaf-Geranmayeh, A., & Haghjoo, N. (2016). Vehicle routing problem with considering multi-middle depots for perishable food delivery. *Uncertain Supply Chain Management*, 4(3), 171–182. <https://doi.org/10.5267/j.uscm.2016.3.001>
- Rahbari, A., Nasiri, M. M., Werner, F., Musavi, M., & Jolai, F. (2019). The vehicle routing and scheduling problem with cross-docking for perishable products under uncertainty: Two robust bi-objective models. *Applied Mathematical Modelling*, 70(3), 605–625. <https://doi.org/10.1016/j.apm.2019.01.047>
- Ritzinger, U., Puchinger, J., & Hartl, R. F. (2016). A survey on dynamic and stochastic vehicle routing problems. *International Journal of Production Research*, 54(1), 215–231. <https://doi.org/10.1080/00207543.2015.1043403>
- Rong, L. X., & Sha, H. (2014). Vehicle scheduling model for fresh agriculture products pickup with uncertain demands. *Advanced Materials Research*, 974, 282–287. <https://doi.org/10.4028/www.scientific.net/AMR.974.282>
- Sahraeian, R., & Esmaeili, M. (2018). A multi-objective two-Echelon capacitated vehicle routing problem for perishable products. *Journal of Industrial and Systems Engineering*, 11(2), 62–84. http://www.jise.ir/article_54750.html
- Salam, M. A. A., Komarudin, K., & Destyanto, A. R. (2018). Generating an efficient way of dispatching perishable product optimization through exact and metaheuristic algorithm comparison. *2018 3rd international conference on computational intelligence and applications (ICCIA)* (pp. 6–10). Hong Kong.
- Seyedhosseini, S., & Ghoreyshi, S. (2014). An integrated model for production and distribution planning of perishable products with inventory and routing considerations. *Mathematical Problems in Engineering*, 2014, 1–10. <https://doi.org/10.1155/2014/475606>
- Seyedhosseini, S., & Ghoreyshi, S. (2015). An integrated production and distribution planning model for perishable products. *International Journal of Operational Research*, 23(3), 268–283. <https://doi.org/10.1504/IJOR.2015.069622>
- Shukla, M., & Jharkharia, S. (2013). Artificial immune system-based algorithm for vehicle routing problem with time window constraint for the delivery of agri-fresh produce. *Journal of Decision Systems*, 22(3), 224–247. <https://doi.org/10.1080/12460125.2013.810859>
- Sinha, A. K., & Anand, A. (2020). Optimizing supply chain network for perishable products using improved bacteria foraging algorithm. *Applied Soft Computing*, 86, 105921. <https://doi.org/10.1016/j.asoc.2019.105921>
- Song, B. D., & Ko, Y. D. (2016). A vehicle routing problem of both refrigerated- and general-type vehicles for perishable food products delivery. *Journal of Food Engineering*, 169, 61–71. <https://doi.org/10.1016/j.jfoodeng.2015.08.027>
- Tarantilis, C., & Kiranoudis, C. (2001). A meta-heuristic algorithm for the efficient distribution of perishable foods. *Journal of Food Engineering*, 50(1), 1–9. [https://doi.org/10.1016/S0260-8774\(00\)00187-4](https://doi.org/10.1016/S0260-8774(00)00187-4)
- Tirkolaei, E. B., Goli, A., Bakhsi, M., & Mahdavi, I. (2017). A robust multi-trip vehicle routing problem of perishable products with intermediate depots and time windows. *Numerical Algebra, Control & Optimization*, 7(4), 417–433. <https://doi.org/10.3934/naco.2017026>
- Tirkolaei, E. B., Hadian, S., Weber, G.-W., & Mahdavi, I. (2020). A robust green traffic-based routing problem for perishable products distribution. *Computational Intelligence*, 36(1), 80–101. <https://doi.org/10.1111/coim.12240>
- Toro, O., Escobar Z. A. H., & Granada E. M. (2016). Literature review on the vehicle routing problem in the green transportation context. *Luna Azul*, (42), 362–387. <http://dx.doi.org/10.17151/luaz.2016.42.21>
- Tunjongsirigul, B., & Pongchairerks, P. (2010). A genetic algorithm for a vehicle routing problem on a real application of bakery delivery. *2010 2nd international conference on electronic computer technology* (pp. 214–217). Kuala Lumpur, Malaysia.
- Vidal, T., Laporte, G., & Matl, P. (2019). A concise guide to existing and emerging vehicle routing problem variants. *European Journal of Operational Research*, 282(2). <https://doi.org/10.1016/j.ejor.2019.10.010>
- Wang, X., Wang, M., Ruan, J., & Zhan, H. (2016). The multi-objective optimization for perishable food distribution route considering temporal-spatial distance. *Procedia Computer Science*, 96, 1211–1220. <https://doi.org/10.1016/j.procs.2016.08.165>
- Wang, X., Wang, M., Ruan, J. H., & Li, Y. (2018). Multi-objective optimization for delivering perishable products with mixed time windows. *Advances in Production Engineering & Management*, 13(3), 321–332. <https://doi.org/10.14743/apem2018.3.293>
- Wang, Y., Yang, C., & Hou, H. (2019). Risk management in perishable food distribution operations. *Industrial Management & Data Systems*, 120(2), 291–311. ahead-of-print(ahead-of-print), Article in Press. <https://doi.org/10.1108/IMDS-03-2019-0149>
- Xu, Z., Elomri, A., Pokharel, S., & Mutlu, F. (2019). A model for capacitated green vehicle routing problem with the time-varying vehicle speed and soft time windows. *Computers & Industrial Engineering*, 137, 106011. <https://doi.org/10.1016/j.cie.2019.106011>
- Xunyu, X., & Tomohiro, M. (2010). Perishable goods delivery and scheduling with time window by genetic algorithm. *2010 IEEE international conference on automation and logistics* (pp. 587–592). Hong Kong and Macau, China.
- Yao, Y., Zhu, X., Dong, H., Wu, S., Wu, H., Carol Tong, L., & Zhou, X. (2019). ADMM-based problem decomposition scheme for vehicle routing problem with time windows. *Transportation Research Part B: Methodological*, 129, 156–174. <https://doi.org/10.1016/j.trb.2019.09.009>
- Zhang, S., Zhang, W., Gajpal, Y., & Appadoo, S. S. (2019). Ant colony algorithm for routing alternate fuel vehicles in multi-depot vehicle routing problem. In Deep, K., Jain, M., Salhi, S. (Eds.), *Decision science in action* (pp. 251–260). Springer.
- Zhang, Y., & Chen, X. (2014). An optimization model for the vehicle routing problem in multi-product frozen food delivery. *Journal of Applied Research and*

Technology, 12(2), 239–250. [https://doi.org/10.1016/S1665-6423\(14\)72340-5](https://doi.org/10.1016/S1665-6423(14)72340-5)
Zheng, J. (2015). Research on food vehicle routing problem based on improved genetic algorithm. *Advance Journal of Food Science and Technology*, 8(3), 219–222. <https://doi.org/10.19026/ajfst.8.1495>

Zulvia, F. E., Kuo, R. J., & Nugroho, D. Y. (2020). A many-objective gradient evolution algorithm for solving a green vehicle routing problem with time windows and time dependency for perishable products. *Journal of Cleaner Production*, 242, 118428. <https://doi.org/10.1016/j.jclepro.2019.118428>



© 2020 The Author(s). This open access article is distributed under a Creative Commons Attribution (CC-BY) 4.0 license.

You are free to:

Share — copy and redistribute the material in any medium or format.

Adapt — remix, transform, and build upon the material for any purpose, even commercially.

The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

Attribution — You must give appropriate credit, provide a link to the license, and indicate if changes were made.

You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

No additional restrictions

You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

***Cogent Engineering* (ISSN:) is published by Cogent OA, part of Taylor & Francis Group.**

Publishing with Cogent OA ensures:

- Immediate, universal access to your article on publication
- High visibility and discoverability via the Cogent OA website as well as Taylor & Francis Online
- Download and citation statistics for your article
- Rapid online publication
- Input from, and dialog with, expert editors and editorial boards
- Retention of full copyright of your article
- Guaranteed legacy preservation of your article
- Discounts and waivers for authors in developing regions

Submit your manuscript to a Cogent OA journal at www.CogentOA.com



The vehicle routing problem

ORIGINALITY REPORT

13%

SIMILARITY INDEX

10%

INTERNET SOURCES

6%

PUBLICATIONS

6%

STUDENT PAPERS

PRIMARY SOURCES

1	beei.org Internet Source	1%
2	mdpi-res.com Internet Source	1%
3	global.oup.com Internet Source	1%
4	Submitted to RMIT University Student Paper	1%
5	cgspace.cgiar.org Internet Source	1%
6	dro.dur.ac.uk Internet Source	1%
7	ifors.org Internet Source	1%
8	Submitted to The University of Manchester Student Paper	<1%
9	Shuxia Li, Zhiying Liu, Huiming Fang, Liping Liu. "Vehicle Routing Problem of Fresh Agricultural Products Considering Decaying	<1%

Factors", IOP Conference Series: Materials Science and Engineering, 2019

Publication

10	www.ijsmdo.org Internet Source	<1 %
11	orca.cardiff.ac.uk Internet Source	<1 %
12	Submitted to University Of Tasmania Student Paper	<1 %
13	Submitted to University of Melbourne Student Paper	<1 %
14	Submitted to University of Southampton Student Paper	<1 %
15	centaur.reading.ac.uk Internet Source	<1 %
16	www.hindawi.com Internet Source	<1 %
17	www.ije.ir Internet Source	<1 %
18	Submitted to Griffith University Student Paper	<1 %
19	espace.etsmtl.ca Internet Source	<1 %
20	www.growingscience.com Internet Source	<1 %

21 P. Paam, R. Berretta, M. Heydar, R.H. Middleton, R. García-Flores, P. Juliano. "Planning Models to Optimize the Agri-Fresh Food Supply Chain for Loss Minimization: A Review", Elsevier BV, 2016
Publication <1 %

22 Submitted to University of Leeds
Student Paper <1 %

23 Submitted to Whitireia Community Polytechnic
Student Paper <1 %

24 C.C. Hong. "Varied effects of shear correction on thermal vibration of functionally graded material shells", Cogent Engineering, 2014
Publication <1 %

25 Yong Wang, Jie Zhang, Xiangyang Guan, Maozeng Xu, Zheng Wang, Haizhong Wang. "Collaborative multiple centers fresh logistics distribution network optimization with resource sharing and temperature control constraints", Expert Systems with Applications, 2021
Publication <1 %

26 Yu-Hsiang Hsiao, Mu-Chen Chen, Kuan-Yu Lu, Cheng-Lin Chin. "Last-mile distribution planning for fruit-and-vegetable cold chains", <1 %

The International Journal of Logistics Management, 2018

Publication

27	environmentportal.in Internet Source	<1 %
28	e-tarjome.com Internet Source	<1 %
29	nbn-resolving.de Internet Source	<1 %
30	optimization-online.org Internet Source	<1 %
31	open.metu.edu.tr Internet Source	<1 %
32	schedulingconference.org Internet Source	<1 %
33	Submitted to Columbia University Student Paper	<1 %
34	Reza Zakaryaei Talouki, Nikbakhsh Javadian, Mohammad Mehdi Movahedi. "Optimization and incorporating of green traffic for dynamic vehicle routing problem with perishable products", Environmental Science and Pollution Research, 2021 Publication	<1 %
35	assets.researchsquare.com Internet Source	<1 %

36	cyberleninka.org Internet Source	<1 %
37	ebin.pub Internet Source	<1 %
38	etd.lib.metu.edu.tr Internet Source	<1 %
39	jqepo.shahed.ac.ir Internet Source	<1 %
40	openaccess.city.ac.uk Internet Source	<1 %
41	www.bvl.de Internet Source	<1 %
42	www.researchsquare.com Internet Source	<1 %
43	www.sciendo.com Internet Source	<1 %
44	Xuping Wang, Xiaoyu Sun, Jie Dong, Meng Wang, Junhu Ruan. "Optimizing Terminal Delivery of Perishable Products considering Customer Satisfaction", Mathematical Problems in Engineering, 2017 Publication	<1 %
45	Dana Marsetiya Utama, Baiq Nurul Izzah Farida, Ulfa Fitriani, M. Faisal Ibrahim, Dian Setiya Widodo. "Hybrid Henry Gas Solubility	<1 %

Optimization: An Effective Algorithm for Fuel Consumption Vehicle Routing Problem", Jurnal Ilmiah Teknik Industri, 2021

Publication

46

Yamina Smaili, Nadia Kinza MOUSS, Karima AKSA. "Dynamic Algorithms for Real-time Routing Traceability: Planning and Optimization", Research Square Platform LLC, 2022

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On